



## FAUNAL DIVERSITY OF JUMPING SPIDERS (SALTICIDAE: ARANEAE: ARACHNIDA) IN INDIA

Rajendra Singh<sup>1\*</sup>, Garima Singh<sup>2</sup> and Bindra Bihari Singh<sup>3</sup>

<sup>1</sup>Department of Zoology, Deendayal Upadhyay University of Gorakhpur (U.P.), India

<sup>2</sup>Department of Zoology, Rajasthan University, Jaipur (Rajasthan), India

<sup>3</sup>Department of Agricultural Entomology, Janta Mahavidyalaya, Ajitmal, Auraiya (U.P.), India

\*Corresponding author: rsinghgpu@gmail.com

### Article Info:

Review Article

Received

**01.12.2020**

Reviewed

**25.12.2020**

Accepted

**05.01.2021**

**Abstract:** Distribution of jumping spiders (Salticidae: Araneae: Arachnida) in different states of India and union territories is presented herewith. A total of 352 species under 116 genera of Salticidae were recorded in all states and union territories of India except Daman and Diu and Dadra and Nagar Haveli. Maximum number of species were recorded from West Bengal (110 species) followed by Tamil Nadu (99 species), Kerala (92 species), Karnataka (92 species), Maharashtra (Maharashtra (84 species), Gujarat (66 species), Uttarakhand (49 species), Assam (44 species) and Odisha (44 species) and so on. Extensive survey for these spiders is required in states like Bihar, Chattisgarh, Haryana, Jharkhand, Madhya Pradesh, Punjab, Telangana, and Uttar Pradesh which are poorly represented by these spiders.

**Keywords:** Arachnida, Araneae, Diversity, Salticidae, Spiders.

### INTRODUCTION

Spiders are chelicerate arthropods belonging to the order Araneae of class Arachnida. Till to date 49,071 species were described under 4,205 genera and 128 families (WSC, 2020). Indian spider fauna was updated up to 1,855 species belonging to 478 genera and 62 families (Caleb and Sankaran, 2020). However, there are several species in wild and museum collections that await description and classification. It is estimated that only one third to one fifth of existing species have been described. In spite of current researches on diversity and distribution of spiders in India, their number is meagre as compared to other regions of the world. Recently, Sharma *et al.* (2020), Singh and Singh (2020), and Singh *et al.* (2020a, b, c, d, e, f) updated the distribution pattern of certain families of spiders in India.

Salticidae Blackwall, 1841 (Arachnida: Araneae) includes jumping spiders which is the largest family of the order Araneae containing 659 genera and 6,310 species globally (WSC, 2020). Salticid fauna of India comprise 343 species under 114 genera put into 17 tribes (Singh *et al.*, 2020a, b, c, d). However, Caleb and Sankaran (2020) reported only 268 species under 95 genera from India. Additional records may either be erroneous report or escaped to mention. These jumping spiders can be identified by the shape of their cephalothorax and the pattern of their eight eyes. The faces are approximately rectangular surfaces perpendicular to their direction of motion. They have four eyes in front row, median two being very large and prominent specialized for high spatial resolution, appropriate to their predatory habits as stalker-hunters (Forster, 1982). Their front 2 pairs of legs

are generally larger than the rear two pairs. The rear legs are used in jumping while front legs are utilized in prey capture (Crompton, 1954) and also in species recognition during courtship and mating (Elias *et al.*, 2003). The body length of jumping spiders generally ranges from 1 to 25 mm, largest being is *Hyllus giganteus* C.L. Koch. The silk is used for safety lines while jumping, as a tether to enable them to reach prey that otherwise would be inaccessible, and also for making “pup tents” where they rest at night and also as shelter home during bad weather (Foelix, 2010). In general, jumping spiders do not construct web to capture prey. However, exceptionally some species of *Portia* build unusual funnel shaped web (Richman and Jackson, 1992). Most of the jumping spiders have dazzling colours with sophisticated adornment, and display sexual colour dimorphism in that males are generally brighter than females (Oxford and Gillespie, 1998). This colourful decoration remains largely unanswered, but is supposed to be beneficial in sexual selection (Bulbert *et al.*, 2015). No doubt, it is attractive to conspecific females, there is also a risk of their predation (Harland and Jackson, 2000). The jumping spiders are master hunter, with ability to jump vast distances. Although, most of the jumping spiders are predatory and feed on a large variety of prey in the wild but few are known to consume nectar and other plant materials (Jackson *et al.*, 2001; Nyffeler, 2016). Larger jumping spiders like *Phidippus regius* C.L. Koch is known to prey on fishes (Nyffeler and Pusey, 2014) and amphibians (Ahmed *et al.*, 2017) while *Grammostola quirogai* Montes de Oca *et al.* is known to predate snakes (Borges *et al.*, 2016).

The classification of Salticidae of the world is still unsatisfactory because of several grounds (Prószyński, 2017). There exist three system of subdivision of family Salticidae in literature. The traditional system is based on cheliceral dentition, arrangements of eyes, body proportions, distribution of spines and characteristic groups of setae, visible with a hand lens (Simon, 1903; Petrunkevitch, 1928). Eventually, selection of these characters for grouping is artificial and is not related to their affinities. In this system, groups of genera are

named subfamilies (Petrunkevitch, 1928). Later on, Maddison (2015) on the basis of molecular data, especially by gene sequencing, the known genera are grouped into 7 subfamilies. However, with lack of more morphological data, it is very difficult to identify the species in nature and captivity and its grouping into suprageneric taxa. To overcome these problems, Prószyński (2017) proposed a realistic and practical classification based on easily noticeable and verifiable, morphological diagnostic characters, such as male palps together with internal structures of epigyne and recognized all the genera described in Salticidae following International Code of Zoological Nomenclature, into supergenera groups and genera groups rather than subfamilies, tribes, subtribes. The purpose of this article is not to discuss the relationship between different species of salticids reported from India, rather to put in order – statewise distribution. We followed the classification of Maddison (2015) and also mention the genera or supergenera group of Prószyński (2017) where necessary.

Maddison (2015) subgrouped Salticidae into 7 subfamilies: Asemoneinae, Eupoinae, Hisponinae, Lyssomaninae, Onomastinae, Salticinae and Spartaeinae. Out of all subfamilies, Salticinae comprises 93.7% of the species (5,818 species, 576 genera, including few species of uncertain position, *incertae sedis*) followed by Spartaeinae (181 species, 31 genera), Lyssomaninae (100 species under 2 genera), Asemoneinae (37 species under 5 genera), Hisponinae (36 species, 6 genera), Eupoinae (34 species, 3 genera) and Onomastinae (16 species, single genus) (Singh *et al.*, 2020a). Detail taxonomic features of all the subfamilies/tribes/subtribes and their phylogenetic relationship were described by Maddison *et al.* (2014, 2017) and Maddison (2015). The present article deals with the distribution of 343 species described under 114 genera of Salticidae recorded from different Indian states and union territories (Singh *et al.*, 2020a, b, c, d).

Our knowledge on the Indian Salticidae is insufficient and highly patchy primarily due to unexplored diversity of these spiders and extensive surveys were done only in a few states.

There are hundreds of species of jumping spiders yet to be described. Several species reported and described from India have also been misidentified and seems to be reported erroneously as several species reported from India are said to be identified by using existing literature without a re-examination of the corresponding types and without consulting any spider taxonomist. Hence, these reports need re-examination.

This checklist is based on the literature published in recent past books, journals and few authentic theses and World Species Catalogue up to 8 December, 2020 (WSC, 2020). In most of the literature, published earlier, several errors crept in their scientific names even in the recent ones. It happened because such contents become outdated quickly and, due to their perceived comprehensiveness, readers sometimes overlook newer sources of data. Additionally, the

researches on spider taxonomy are continued with the description of new taxa, their modified status, and the publication of other nomenclatural decisions. In the present compilation, attempts have been made to correct these errors in the scientific names of the spiders following WSC (2020). If a spider species is identified only up to generic level, it was considered as species if no other species of that genus is reported within the state. In the following checklist, the distribution of salticid spiders is given in all 28 Indian states and 7 union territories. No jumping spider is still recorded in Dadra and Nagar Haveli and Daman and Diu. Only one reference per record of spider is given, for detail records in different areas/places of all the states and union territories, and also for their synonymy following publications may be consulted (Singh et al., 2020a, b, c, d). Number of species of jumping spiders distributed in Indian states and union territories is illustrated in Fig. 1.



Fig. 1: Number of species of jumping spiders (Salticidae) in Indian states and union territories.

## I. DIVERSITY OF JUMPING SPIDERS IN INDIAN STATES

### 1. Andhra Pradesh

1. *Carrhotus andhra* Caleb, 2020 (Caleb et al., 2020)
2. *Carrhotus viduus* (C.L. Koch, 1846) (Caleb et al., 2020)
3. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Rao et al., 2005)
4. *Myrmarachne providens* (Peckham and Peckham, 1892) (Rao et al., 2005)
5. *Neaetha ovichi* Logunov, 2019 (Logunov, 2019)
6. *Phintella vittata* (C.L. Koch, 1846) (Caleb et al., 2015)
7. *Phlegra prasanna* Caleb and Mathai, 2015 (Caleb, 2020b)
8. *Plexippus paykulli* (Audouin, 1826) (Majumder, 2005)
9. *Stenaelurillus arambagensis* (Biswas and Biswas, 1992) (Caleb et al., 2017a)
10. *Stenaelurillus indicus* Logunov, 2020 (Logunov, 2020)
11. *Stenaelurillus lesserti* Reimoser, 1934 (Logunov, 2020)
12. *Stenaelurillus sarojinae* Caleb and Mathai, 2014 (Caleb and Mathai, 2014)
13. *Stenaelurillus tettu* Logunov, 2020 (Logunov, 2020)
14. *Telamonia dimidiata* (Simon, 1899) (Majumder, 2005)

### 2. Arunachal Pradesh

1. *Bianor pashanensis* (Tikader, 1975) (Biswas and Biswas, 2006)
2. *Evarcha* sp. (Chetry and Moran, 2019)
3. *Harmochirus brachiatus* (Thorell, 1877) (Chetry and Moran, 2019)
4. *Hyllus semicupreus* (Simon, 1885) (Biswas and Biswas, 2006)
5. *Myrmarachne dirangicus* Bastawade, 2002 (Bastawade, 2002)
6. *Myrmarachne formicaria* (De Geer, 1778) (Chetry and Moran, 2019)
7. *Orientattus aurantius* (Kanesharatnam and Benjamin, 2018) (Caleb and Acharya, 2019)
8. *Pancorius magnus* Žabka, 1985 (Caleb et al., 2019a)
9. *Pancorius nagaland* Caleb, 2019 (Caleb et al., 2019a)

10. *Phidippus tirapensis* Biswas and Biswas, 2006 (Biswas and Biswas, 2006)
11. *Phintella vittata* (C.L. Koch, 1846) (Biswas and Biswas, 2006)
12. *Plexippus paykulli* (Audouin, 1826) (Biswas and Biswas, 2006)
13. *Plexippus petersi* (Karsch, 1878) (Chetry and Moran, 2019)
14. **3. Assam**
1. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Chetia and Kalita, 2012)
2. *Bavia* sp. (Chetia and Kalita, 2012)
3. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)
4. *Bianor narmadaensis* (Tikader, 1975) (Basumatary and Brahma, 2017)
5. *Bianor pseudomaculatus* Logunov, 2000 (Logunov, 2019)
6. *Bianor tortus* Jastrzebski, 2007 (Jastrzebski, 2007)
7. *Brettus cingulatus* Thorell, 1895 (Chetia and Kalita, 2012)
8. *Carrhotus assam* Caleb, 2020 (Caleb et al., 2020)
9. *Carrhotus viduus* (C.L. Koch, 1846) (Chetia and Kalita, 2012)
10. *Chinattus prabodhi* Basumatary et al., 2020 (Basumatary et al., 2020a)
11. *Chrysilla acerosa* Wang and Zhang, 2012 (Caleb, 2016a)
12. *Colyttus proszynskii* Caleb et al., 2018 (Caleb et al., 2018b)
13. *Cosmophasis umbratica* Simon, 1903 (Chetia and Kalita, 2012)
14. *Epeus indicus* Prószyński, 1992 (Chetia and Kalita, 2012)
15. *Epeus tener* (Simon, 1877) (Singh et al., 2012)
16. *Epocilla aurantiaca* (Simon, 1885) (Roy et al., 2016)
17. *Hasarius adansoni* (Audouin, 1826) (Chetia and Kalita, 2012)
18. *Hyllus diardi* (Walckenaer, 1837) (Basumatary et al., 2018)
19. *Hyllus semicupreus* (Simon, 1885) (Singh et al., 2012)
20. *Indopadilla insularis* (Malamel et al., 2015) (Basumatary and Brahma, 2017)
21. *Menemerus bivittatus* (Dufour, 1831) (Chetia and Kalita, 2012)
22. *Menemerus brevibulbis* (Thorell, 1887) (Saha et al., 2016)

23. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Chetia and Kalita, 2012)
24. *Myrmarachne melanocephala* MacLeay, 1839 (Chetia and Kalita, 2012)
25. *Pancorius magnus* Žabka, 1985 (Caleb et al., 2019a)
26. *Phaeacius* sp. (Basumatary and Brahma, 2017)
27. *Phidippus yashodharae* Tikader, 1977 (Singh et al., 2012)
28. *Phintella assamica* Prószyński, 1992 (Prószyński, 1992b)
29. *Phintella vittata* (C.L. Koch, 1846) (Chetia and Kalita, 2012)
30. *Phintelloides versicolor* (C.L. Koch, 1846) (Caleb and Acharya, 2020)
31. *Plexippus paykulli* (Audouin, 1826) (Chetia and Kalita, 2012)
32. *Plexippus petersi* (Karsch, 1878) (Singh et al., 2012)
33. *Portia assamensis* Wanless, 1978 (Chetia and Kalita, 2012)
34. *Portia fimbriata* (Doleschall, 1859) (Gupta et al., 2015)
35. *Rhene decorata* Tikader, 1977 (Roy et al., 2016)
36. *Rhene flavigomans* Simon, 1902 (Das et al., 2015)
37. *Rhene flavigera* (C.L. Koch, 1846) (Gupta et al., 2015)
38. *Rhene rubrigera* (Thorell, 1887) (Chetia and Kalita, 2012)
39. *Siler semiglaucus* (Simon, 1901) (Das et al., 2015)
40. *Synagelides brahmaputra* Caleb et al., 2018 (Caleb et al., 2018b)
41. *Telamonia dimidiata* (Simon, 1899) (Chetia and Kalita, 2012)
42. *Thiania bhamoensis* Thorell, 1887 (Chetia and Kalita, 2012)
43. *Vailimia jharbari* Basumatary et al., 2020 (Basumatary et al., 2020b)
44. *Zebraplatys* sp. (Basumatary and Brahma, 2017)
4. *Menemerus* sp. (Priyadarshini et al., 2015)
5. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Narayan, 1915)
6. *Myrmarachne incerta* Narayan, 1915 (Narayan, 1915)
7. *Myrmarachne laeta* (Thorell, 1887) (Narayan, 1915)
8. *Myrmarachne laeta flava* Narayan, 1915 (Narayan, 1915)
9. *Myrmarachne manducator* (Westwood, 1841) (Narayan, 1915)
10. *Myrmarachne prava* (Karsch, 1880) (Narayan, 1915)
11. *Plexippus paykulli* (Audouin, 1826) (Priyadarshini et al., 2015)
12. *Plexippus petersi* (Karsch, 1878) (Priyadarshini et al., 2015)
- 5. Chattisgarh**
- Phidippus bhimrakshiti* Gajbe, 2004 (Ekka and Kujur, 2015)
  - Plexippus paykulli* (Audouin, 1826) (Ekka and Kujur, 2015)
  - Rhene haldanei* Gajbe, 2004 (Ekka and Kujur, 2015)
  - Rhene sanghrakshiti* Gajbe, 2004 (Ekka and Kujur, 2015)
  - Zygoballus* sp. (Mishra and Shrivastava, 2002)
- 6. Goa**
- Aelurillus* sp. (Halarnkar and Pai, 2018)
  - Anarrhotus* (cf.) sp. (Hill et al., 2019b)
  - Asemonea tenuipes* (Pickard-Cambridge, 1869) (Halarnkar and Pai, 2018)
  - Bianor* sp. (Pandit and Dharwadkar, 2020)
  - Brettus cingulatus* Thorell, 1895 (Halarnkar and Pai, 2018)
  - Bristowia gandhii* Kanesharatnam and Benjamin, 2016 (Kanesharatnam and Benjamin, 2016)
  - Carrhotus viduus* (C.L. Koch, 1846) (Halarnkar and Pai, 2018)
  - Chrysilla volupe* (Karsch, 1879) (Pandit and Dharwadkar, 2020)
  - Cyrba ocellata* (Kroneberg, 1875) (Pandit and Dharwadkar, 2020)
  - Epeus indicus* Prószyński, 1992 (Pandit and Dharwadkar, 2020)
  - Harmochirus brachiatus* (Thorell, 1877) (Pandit and Dharwadkar, 2020)
  - Hasarius adansoni* (Audouin, 1826) (Halarnkar and Pai, 2018)
- 4. Bihar**
- Bianor* sp. (Goswami et al., 2015)
  - Hasarius adansoni* (Audouin, 1826) (Priyadarshini et al., 2015)
  - Helpis minitabunda* (L. Koch, 1880) (Priyadarshini et al., 2015)

13. *Hyllus semicupreus* (Simon, 1885) (Prószyński, 1992b)
14. *Icius vikrambatrai* Prajapati et al., 2018 (Pandit and Dharwadkar, 2020)
15. *Indopadilla insularis* (Malamel et al., 2015) (Pandit and Dharwadkar, 2020)
16. *Langona goaensis* Proszyński, 1992 (Proszyński, 1992b)
17. *Marengo* sp. (Pandit and Dharwadkar, 2020)
18. *Menemerus bivittatus* (Dufour, 1831) (Pandit and Dharwadkar, 2020)
19. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Pandit and Dharwadkar, 2020)
20. *Myrmarachne melanocephala* MacLeay, 1839 (Pandit and Dharwadkar, 2020)
21. *Myrmarachne prava* (Karsch, 1880) (Pandit and Dharwadkar, 2020)
22. *Phaeacius* sp. (Pandit and Dharwadkar, 2020)
23. *Phanuelus* sp. Pandit and Dharwadkar, 2020)
24. *Phintella vittata* (C.L. Koch, 1846) (Caleb, 2020b)
25. *Piranthus* sp. (Pandit and Dharwadkar, 2020)
26. *Plexippus paykulli* (Audouin, 1826) (Halarnkar and Pai, 2018)
27. *Plexippus petersi* (Karsch, 1878) (Halarnkar and Pai, 2018)
28. *Portia albimana* (Simon, 1900) (Pandit and Dharwadkar, 2020)
29. *Rhene flavigomans* Simon, 1902 (Pandit and Dharwadkar, 2020)
30. *Rhene khandalaensis* Tikader, 1977 (Bastawade and Borkar, 2008)
31. *Stenaelurillus albus* Sebastian et al., 2015 (Halarnkar and Pai, 2018)
32. *Telamonia dimidiata* (Simon, 1899) (Halarnkar and Pai, 2018)
33. *Thiania bhamoensis* Thorell, 1887 (Pandit and Dharwadkar, 2020)
34. *Vailimia* sp. (Pandit and Dharwadkar, 2020)
6. *Carrhotus sannio* (Thorell, 1877) (Parmar, 2018)
7. *Carrhotus viduus* (C.L. Koch, 1846) (Parmar et al., 2015)
8. *Chrysilla lauta* Thorell, 1987 (Parmar and Patel, 2015)
9. *Chrysilla volupe* (Karsch, 1879) (Caleb et al., 2018a)
10. *Cosmophasis* sp. (Yadav, 2019)
11. *Epeus indicus* Prószyński, 1992 (Parmar, 2013)
12. *Epocilla aurantiaca* (Simon, 1885) (Parmar, 2013)
13. *Evarcha flavocincta* (C. L. Koch, 1846) (Thumar, 2019)
14. *Evarcha falcata* (Clerck, 1757) (Prajapati et al., 2018b)
15. *Harmochirus brachiatus* (Thorell, 1877) (Sen et al., 2015)
16. *Hasarius adansoni* (Audouin, 1826) (Parmar et al., 2015)
17. *Hyllus semicupreus* (Simon, 1885) (Siliwal et al., 2003b)
18. *Icius albterminus* (Caleb, 2014) (Prajapati and Kamboj, 2020a)
19. *Langelurillus onyx* Caleb, Sanap, Joglekar and Prajapati, 2017 (Sanap et al., 2017)
20. *Langona aperta* (Denis, 1958) (Yadav et al., 2017)
21. *Langona bhutanica* Prószyński, 1978 (Yadav et al., 2017)
22. *Lyssomanes* sp. (Siliwal et al., 2003b)
23. *Marengo sachintendulkar* Malamel et al., 2019 (Malamel et al., 2019a)
24. *Marpissa tigrina* Tikader, 1965 (Solanki, 2016)
25. *Menemerus bivittatus* (Dufour, 1831) (Parmar, 2013)
26. *Menemerus brachygnathus* (Thorell, 1887) (Parmar, 2018)
27. *Menemerus fulvus* (L. Koch, 1878) (Parmar and Patel, 2015)
28. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Biswas, 1987)
29. *Myrmarachne laeta* (Thorell, 1887) (Parasharya and Pathan, 2013)
30. *Myrmarachne laeta flava* Narayan, 1915 (Yadav et al., 2017)
31. *Myrmarachne melanocephala* MacLeay, 1839 (Yadav et al., 2017)
32. *Myrmarachne prava* (Karsch, 1880) (Siliwal et al., 2003a)

## 7. Gujarat

1. *Aelurillus* sp. (Solanki, 2016)
2. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Siliwal et al., 2003a)
3. *Bavia* sp. (Parmar and Acharya, 2015)
4. *Bianor punjabicus* Logunov, 2000 (Yadav et al., 2017)
5. *Brettus* sp. (Solanki, 2016)

33. *Myrmachne robusta* (Peckham and Peckham, 1892) (Siliwal et al., 2003a)
34. *Myrmachne tristis* (Simon, 1882) (Solanki, 2016)
35. *Myrmatheca alticephalon* (Yamasaki and Ahmad, 2013) (Yadav, 2019)
36. *Phidippus bengalensis* Tikader, 1977 (Yadav et al., 2017)
37. *Phidippus calcuttaensis* Biswas, 1984 (Yadav et al., 2017)
38. *Phidippus punjabensis* Tikader, 1974 (Siliwal et al., 2003a)
39. *Phintella bifurcilinea* (Bösenberg and Strand, 1906) (Thumar, 2019)
40. *Phintella debilis* (Thorell, 1891) (Thumar, 2019)
41. *Phintella vittata* (C.L. Koch, 1846) (Siliwal et al., 2003a)
42. *Phintelloides versicolor* (C. L. Koch, 1846) (Thumar, 2019)
43. *Phintelloides undulatus* (Caleb and Karthikeyani, 2015) (Prajapati and Kamboj, 2020b)
44. *Phlegra abhinandanvarthamani* Prajapati, 2019 (Prajapati, 2019)
45. *Phlegra dhakuriensis* (Tikader, 1974) (Trivedi, 2009)
46. *Piranthus decorus* Thorell, 1895 (Thumar, 2019)
47. *Plexippus calcutaensis* (Tikader, 1974) (Yadav et al., 2017)
48. *Plexippus paykulli* (Audouin, 1826) (Siliwal et al., 2003b)
49. *Plexippus petersi* (Karsch, 1878) (Solanki, 2016)
50. *Portia* sp. (Solanki, 2016)
51. *Pseudicius andamanicus* (Tikader, 1977) (Patel and Pillai, 1988)
52. *Ptocasius* sp. (Parmar, 2018)
53. *Rhene albigera* (C.L. Koch, 1846) (Solanki, 2016)
54. *Rhene danieli* Tikader, 1973 (Thumar, 2019)
55. *Rhene flavigera* (C.L. Koch, 1846) (Parmar, 2013)
56. *Rhene khandalaensis* Tikader, 1977 (Siliwal et al., 2003b)
57. *Rudakius ludhianaensis* (Tikader, 1974) (Caleb et al., 2019c)
58. *Salticus* sp. (Parasharya and Pathan, 2013)
59. *Siler semiglaucus* (Simon, 1901) (Parmar, 2013)
60. *Stenaelurillus albus* Sebastian et al., 2015 (Yadav et al., 2017)
61. *Stenaelurillus arambagensis* (Biswas and Biswas, 1992) (Prajapati et al., 2016)
62. *Stenaelurillus gabrieli* Prajapati et al., 2016 (Prajapati et al., 2016)
63. *Stenaelurillus lesserti* Reimoser, 1934 (Parmar and Patel, 2015)
64. *Telamonia dimidiata* (Simon, 1899) (Siliwal et al., 2003a)
65. *Thiania bhamoensis* Thorell, 1887 (Parmar et al., 2015)
66. *Thyene imperialis* (Rossi 1846) (Parmar, 2013)
- 8. Haryana**
1. *Phintelloides singhi* (Monga et al., 1988) (Monga et al., 1988)
  2. *Epocilla aurantiaca* (Simon, 1885) (Malik and Goyal, 2017)
  3. *Epocilla calcarata* (Karsch, 1880) (Malik and Goyal, 2017)
  4. *Menemerus bivittatus* (Dufour, 1831) (Malik and Goyal, 2017)
  5. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Malik and Goyal, 2017)
  6. *Plexippus paykulli* (Audouin, 1826) (Malik and Goyal, 2017)
  7. *Rhene danieli* Tikader, 1973 (Malik and Goyal, 2017)
  8. *Rudakius ludhianaensis* (Tikader, 1974) (Malik and Goyal, 2017)
  9. *Thyene imperialis* (Rossi 1846) (Malik and Goyal, 2017)
- 9. Himachal Pradesh**
1. *Aelurillus improvisus* Azarkina, 2002 (Azarkina, 2002)
  2. *Aelurillus minimontanus* Azarkina, 2002 (Azarkina, 2002)
  3. *Bianor albobimaculatus* (Lucas, 1846) (Logunov, 2000)
  4. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)
  5. *Marpissa* sp. (Uniyal, 2006)
  6. *Phlegra fasciata* (Hahn, 1826) (Logunov and Koponen, 2002)
- 10. Jharkhand**
1. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)

2. *Bianor incitatus* Thorell, 1890 (Logunov, 2000)
3. *Phlegra dhakuriensis* (Tikader, 1974) (Agrawal and Ghose, 1995b)
  
- 11. Karnataka**
1. *Aelurillus kronestedti* Azarkina, 2004 (Prashanthakumara and Venkateshwarlu, 2017)
2. *Anarrhotus* (cf.) sp. (Hill *et al.*, 2019b)
3. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Bhat *et al.*, 2013)
4. *Bavia kairali* Samson and Sebastian, 2002 (Samson and Sebastian, 2002)
5. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)
6. *Bianor balius* Thorell, 1890 (Logunov, 2019)
7. *Bianor incitatus* Thorell, 1890 (Logunov, 2000)
8. *Brettus cingulatus* Thorell, 1895 Bhat *et al.*, 2013)
9. *Bristowia* sp. (Abhijith, 2019)
10. *Burmattus pococki* (Thorell, 1895) (Abhijith, 2019)
11. *Carrhotus sannio* (Thorell, 1877) (Abhijith, 2019)
12. *Carrhotus viduus* (C.L. Koch, 1846) (Bhat *et al.*, 2013)
13. *Chalcotropis pennata* Simon, 1902 (Murali *et al.*, 2017)
14. *Chrysilla acerosa* Wang and Zhang, 2012 (Abhijith, 2019)
15. *Chrysilla lauta* Thorell, 1987 (Prashanthakumara and Venkateshwarlu, 2017)
16. *Chrysilla volupe* (Karsch, 1879) (Caleb *et al.*, 2018a)
17. *Cocalus* sp. (Mubeen and Basavarajappa, 2018)
18. *Colaxes sazailus* Paul *et al.*, 2020 (Paul *et al.*, 2020)
19. *Colonus hesperus* (Richman and Vetter, 2004) (Nijagal *et al.*, 2020)
20. *Curubis tetrica* Simon, 1902 (Abhijith, 2019)
21. *Cyba algerina* (Lucas, 1846) (Simon, 1885)
22. *Cyba ocellata* (Kroneberg, 1875) (Prashanthakumara and Venkateshwarlu, 2017)
23. *Epeus flavobilineatus* (Doleschall, 1859) (Nijagal *et al.*, 2020)
24. *Epeus indicus* Prószyński, 1992 (Bhat *et al.*, 2013)
25. *Epeus tener* (Simon, 1877) (Bhat *et al.*, 2013)
26. *Epocilla aurantiaca* (Simon, 1885) (Bhat *et al.*, 2013)
27. *Evarcha culicivora* Wesołowska and Jackson, 2003 (Prashanthakumara *et al.*, 2015)
28. *Harmochirus brachiatus* (Thorell, 1877) (Prashanthakumara and Venkateshwarlu, 2017)
29. *Harmochirus zabkai* Logunov, 2000 (Logunov, 2000)
30. *Hasarius adansoni* (Audouin, 1826) (Bhat *et al.*, 2013)
31. *Hentzia palmarum* (Hentz, 1832) (Tabasum *et al.*, 2018)
32. *Hindumanes karnatakaensis* (Tikader and Biswas, 1978) (Tikader and Biswas, 1978)
33. *Hyllus pudicus* Thorell, 1895 (Prashanthakumara and Venkateshwarlu, 2017)
34. *Hyllus semicupreus* (Simon, 1885) (Simon, 1885)
35. *Icius kumariae* Caleb, 2017 (Caleb, 2017)
36. *Indomarengo* sp. (Mubeen and Basavarajappa, 2018)
37. *Indopadilla kodagura* Maddison, 2020 (Maddison *et al.*, 2020)
38. *Jerzego* sp. (Abhijith, 2019)
39. *Langona* sp. (Abhijith, 2019)
40. *Madhyattus* sp. (Abhijith, 2019)
41. *Maripanthus jubatus* Maddison, 2020 (Maddison *et al.*, 2020)
42. *Marpissa* sp. (Nautiyal *et al.*, 2017)
43. *Menemerus bivittatus* (Dufour, 1831) (Simon, 1885)
44. *Menemerus semilimbatus* (Hahn, 1829) (Tabasum *et al.*, 2018)
45. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Sherriffs, 1931)
46. *Myrmarachne formicaria* (De Geer, 1778) (Abhijith, 2019)
47. *Myrmarachne melanocephala* MacLeay, 1839 (Bhat *et al.*, 2013)
48. *Myrmarachne ramunni* Narayan, 1915 (Bhat *et al.*, 2013)
49. *Neaetha* sp. (Abhijith, 2019)
50. *Nepalicus nepalicus* (Andreeva *et al.*, 1984) (Prashanthakumara and Venkateshwarlu, 2017)

51. *Onomastus* sp. (Prashanthakumara and Venkateshwarlu, 2017)
52. *Orientattus aurantius* (Kanesharatnam and Benjamin, 2018) (Abhijith, 2019)
53. *Phaeacius lancearius* (Thorell, 1855) (Mubeen and Basavarajappa, 2018)
54. *Phidippus audax* (Hentz, 1845) (Tabasum et al., 2018)
55. *Phidippus bengalensis* Tikader, 1977 (Tikader and Biswas, 1981)
56. *Phidippus otiosus* (Hentz, 1846) (Tabasum et al., 2018)
57. *Phintella vittata* (C.L. Koch, 1846) (Bhat et al., 2013)
58. *Phintelloides versicolor* (C. L. Koch, 1846) (Nijagal et al., 2020)
59. *Phlegra dhakuriensis* (Tikader, 1974) (Nautiyal et al., 2017)
60. *Piranthus planolancis* Malamel et al., 2019 (Nafin et al., 2020)
61. *Platycryptus undatus* (De Geer, 1778) (Tabasum et al., 2018)
62. *Plexippus bhutani* Zabka, 1990 (Caleb, 2016a)
63. *Plexippus paykulli* (Audouin, 1826) (Simon, 1885)
64. *Plexippus petersi* (Karsch, 1878) (Bhat et al., 2013)
65. *Plexippus setipes* Karsch, 1879 (Abhijith, 2019)
66. *Portia albimana* (Simon, 1900) (Shraddha and Chaturvedi, 2019)
67. *Portia fimbriata* (Doleschall, 1859) (Sherriffs, 1931)
68. *Proszynskia diatreta* (Simon, 1902) (Prashanthakumara and Venkateshwarlu, 2017)
69. *Rhene albigera* (C.L. Koch, 1846) (Jastrzebski, 1997a)
70. *Rhene flavigomans* Simon, 1902 (Abhijith, 2019)
71. *Rhene flavigera* (C.L. Koch, 1846) (Vaibhav et al., 2017)
72. *Rhene rubrigera* (Thorell, 1887) (Bhat et al., 2013)
73. *Saitis chaperi* Simon, 1885 (Simon, 1885)
74. *Siler semiglaucus* (Simon, 1901) (Bhat et al., 2013)
75. *Stenaelurillus albus* Sebastian et al., 2015 (Prashanthakumara and Venkateshwarlu, 2017)
76. *Stenaelurillus lesserti* Reimoser, 1934 (Caleb, 2020b)
77. *Telamonia festiva* Thorell, 1887 (Nijagal et al., 2020)
78. *Telamonia dimidiata* (Simon, 1899) (Bhat et al., 2013)
79. *Thiania bhamoensis* Thorell, 1887 (Bhat et al., 2013)
80. *Thyene imperialis* (Rossi 1846) (Abhijith, 2019)
81. *Thyenula* sp. (Prashanthakumara and Venkateshwarlu, 2017)
82. *Vailimia* sp. (Hill et al., 2019a)
83. *Yaginumaella* sp. (Abhijith, 2019)
- 12. Kerala**
1. *Acragas* sp. (Sumesh & Sudhikumar, 2020)
  2. *Aelurillus improvisus* Azarkina, 2002 (Adarsh and Nameer, 2016)
  3. *Ajaraneola* sp. (Sumesh & Sudhikumar, 2020)
  4. *Anarrhotus* (cf.) sp. (Hill et al., 2019b)
  5. *Asemonea cristata* Thorell, 1895 (Sudhin et al., 2020)
  6. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Sherriffs, 1931)
  7. *Attulus* sp. (Sumesh & Sudhikumar, 2020)
  8. *Bavia kairali* Samson and Sebastian, 2002 (Samson and Sebastian, 2002)
  9. *Bianor* sp. (Sebastian et al., 2005b)
  10. *Bianor narmadaensis* (Tikader, 1975) (Sumesh & Sudhikumar, 2020)
  11. *Brettus anchorum* Wanless, 1979 (Sumesh & Sudhikumar, 2020)
  12. *Brettus cingulatus* Thorell, 1895 Sen et al., 2015)
  13. *Carrhotus vidiuus* (C.L. Koch, 1846) (Mathew et al., 2014)
  14. *Chalcotropis pennata* Simon, 1902 (Jose AC et al., 2018)
  15. *Chrysilla lauta* Thorell, 1987 (Joseph et al., 2017)
  16. *Chrysilla volupe* (Karsch, 1879) (Caleb et al., 2018a)
  17. *Cocalus lacinia* Sudhin et al., 2019 (Sudhin et al., 2019a)
  18. *Curubis tetrica* Simon, 1902 (Sankaran et al., 2019)
  19. *Cyrba* sp. (Sebastian et al., 2005a)
  20. *Epeus albus* Proszynski, 1992 (Joseph et al., 2017)

21. *Epeus flavobilineatus* (Doleschall, 1859) (Rajeevan et al., 2019)
22. *Epeus indicus* Prószyński, 1992 (Asalatha et al., 2017)
23. *Epeus tener* (Simon, 1877) (Jose AC et al., 2018)
24. *Epeus triangulopalpis* Malamel et al., 2019 (Malamel et al., 2019b)
25. *Epocilla aurantiaca* (Simon, 1885) (Roy et al., 2016)
26. *Epocilla calcarata* (Karsch, 1880) (Rajeevan et al., 2019)
27. *Euophrys omnisuperstes* Wanless, 1975 (Sumesh & Sudhikumar, 2020)
28. *Eupoia* sp. (Sumesh & Sudhikumar, 2020)
29. *Evarcha infrastrigata* (Keyserling, 1881) (Nataraj et al., 2018)
30. *Evarcha pococki* Zabka, 1985 (Malamel, 2018)
31. *Habrocestum longispinum* Sankaran et al., 2019 (Sankaran et al., 2019)
32. *Harmochirus brachiatus* (Thorell, 1877) (Sen et al., 2015)
33. *Harmochirus exaggeratus* Caleb and Mathai, 2015 (Joseph et al., 2017)
34. *Hasarius adansoni* (Audouin, 1826) (Sebastian et al., 2005b)
35. *Hindumanes karnatakaensis* (Tikader and Biswas, 1978) (Sudhin et al., 2017)
36. *Hindumanes wayanadensis* Sudhin et al., 2017 (Sudhin et al., 2017)
37. *Hyllus diardi* (Walckenaer, 1837) (Sudhikumar et al., 2005)
38. *Hyllus semicupreus* (Simon, 1885) (Malamel and Samson, 2014)
39. *Icius vikrambatrai* Prajapati et al., 2018 (Prajapati et al., 2018a)
40. *Indomarengo chavarapater* Malamel et al., 2019 (Malamel et al., 2019a)
41. *Indopadilla insularis* (Malamel et al., 2015) (Sudhikumar et al., 2005)
42. *Langona* sp. (Sumesh & Sudhikumar, 2020)
43. *Lysosmanes* sp. (Sumesh & Sudhikumar, 2020)
44. *Marengo batheryensis* Sudhin et al., 2019 (Sudhin et al., 2019b)
45. *Marengo nitida* Simon, 1900 (Sherriffs, 1929)
46. *Marengo sachintendulkar* Malamel et al., 2019 (Malamel et al., 2019a)
47. *Marengo striatipes* Simon, 1900 (Sherriffs, 1929)
48. *Marengo zebra* Sudhin et al., 2019 (Sudhin et al., 2019b)
49. *Marpissa tigrina* Tikader, 1965 (Patel, 2003)
50. *Menemerus bivittatus* (Dufour, 1831) (Sebastian et al., 2005a)
51. *Myrmaplata aureonigra* (Edmunds and Prószyński, 2003) (Rajeevan et al., 2019)
52. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Sebastian et al., 2005a)
53. *Myrmarachne cornuta* Badcock, 1918 (Rajeevan et al., 2019)
54. *Myrmarachne formicaria* (De Geer, 1778) (Rajeevan et al., 2019)
55. *Myrmarachne japonica* (Karsch, 1879) (Rajeevan et al., 2019)
56. *Myrmarachne kochi* Reimoser, 1925 (Jose AC et al., 2018)
57. *Myrmarachne melanocephala* MacLeay, 1839 (Sebastian et al., 2005a)
58. *Myrmarachne prava* (Karsch, 1880) (Rajeevan et al., 2019)
59. *Myrmarachne ramunni* Narayan, 1915 (Malamel and Samson, 2014)
60. *Neon reticulatus* (Blackwall, 1853) (Sumesh & Sudhikumar, 2020)
61. *Phaeacius lancearius* (Thorell, 1855) (Adarsh and Nameer, 2016)
62. *Phaeacius wanlessi* Wijesinghe, 1991 (Malamel, 2018)
63. *Phidippus yashodharee* Tikader, 1977 (Malamel and Samson, 2014)
64. *Phintella vittata* (C.L. Koch, 1846) (Sudhikumar et al., 2005)
65. *Phintelloides undulatus* (Caleb and Karthikeyani, 2015) (Prajapati and Kamboj, 2020b)
66. *Piranthus planolancis* Malamel et al., 2019 (Malamel et al., 2019b)
67. *Plexippus paykulli* (Audouin, 1826) (Patel, 2003)
68. *Plexippus petersi* (Karsch, 1878) (Sebastian et al., 2005a)
69. *Plexippus redimitus* Simon, 1906 (Sherriffs, 1931)
70. *Portia fimbriata* (Doleschall, 1859) (Malamel and Samson, 2014)
71. *Ptocasius* sp. (Joseph and Premila, 2016)
72. *Rhene albigera* (C.L. Koch, 1846) (Joseph et al., 2017)

73. *Rhene daitarensis* Proszynski, 1992 (Joseph et al., 2017)
74. *Rhene danieli* Tikader, 1973 (Malamel and Samson, 2014)
75. *Rhene flavicomans* Simon, 1902 (Rajeevan et al., 2019)
76. *Rhene flavigera* (C.L. Koch, 1846) (Jose AC et al., 2018)
77. *Rhene indica* Tikader, 1973 (Sathiamma et al., 1986)
78. *Rhene rubrigera* (Thorell, 1887) (Rajeevan et al., 2019)
79. *Servaea* sp. (Malamel and Samson, 2014)
80. *Siler semiglaucus* (Simon, 1901) (Sen et al., 2015)
81. *Stenaelurillus albus* Sebastian et al., 2015 (Prajapati et al., 2016)
82. *Stenaelurillus lesserti* Reimoser, 1934 (Caleb, 2020b)
83. *Synagelides munnar* Logunov, 2017 (Logunov, 2017)
84. *Tamigalesus munnaricus* Zabka, 1988 (Samson and Sebastian, 2013)
85. *Telamonia dimidiata* (Simon, 1899) (Sebastian et al., 2005a)
86. *Telamonia elegans* (Thorell, 1887) (Rajeevan et al., 2019)
87. *Thiania bhamoensis* Thorell, 1887 (Tikader, 1977a)
88. *Thyene* sp. (Sebastian et al., 2005b)
89. *Urobillus nazirwanii* Prajapati et al., 2020 (Prajapati et al., 2020)
90. *Vailimia* sp. (Hill et al., 2019a)
91. *Yaginumaella aishwaryi* Sunil Jose, 2013 (Sunil Jose, 2013)
92. *Zygodallus* sp. (Asalatha et al., 2017)
- 13. Madhya Pradesh**
1. *Bianor balius* Thorell, 1890 (Logunov, 2019)
  2. *Bianor incitatus* Thorell, 1890 (Logunov, 2000)
  3. *Bianor narmadaensis* (Tikader, 1975) (Tikader, 1975)
  4. *Harmochirus brachiatus* (Thorell, 1877) (Gajbe and Singh, 1994)
  5. *Hasarius adansoni* (Audouin, 1826) (Keswani, 2014)
  6. *Hyllus semicupreus* (Simon, 1885) (Keswani, 2014)
  7. *Madhyattus jabalpurensis* Prószyński, 1992 (Prószyński, 1992b)
  8. *Menemerus bivittatus* (Dufour, 1831) (Keswani, 2014)
  9. *Myrmaplata platialeoides* (Pickard-Cambridge, 1869) (Keswani, 2014)
  10. *Myrmarachne melanocephala* MacLeay, 1839 (Sharma and Sharma, 2015)
  11. *Myrmarachne robusta* (Peckham and Peckham, 1892) (Sharma and Sharma, 2015)
  12. *Pellenes maderianus* Kulczyński, 1905 (Prószyński, 1992b)
  13. *Phidippus bhimrakshiti* Gajbe, 2004 (Gajbe, 2004)
  14. *Phintella vittata* (C.L. Koch, 1846) (Keswani, 2014)
  15. *Phlegra dhakuriensis* (Tikader, 1974) (Gajbe, 2003)
  16. *Plexippus paykulli* (Audouin, 1826) (Biswas and Majumder, 1995)
  17. *Rhene flavigera* (C.L. Koch, 1846) (Keswani, 2014)
  18. *Rhene haldanei* Gajbe, 2004 (Gajbe, 2004)
  19. *Rhene sanghrakshiti* Gajbe, 2004 (Gajbe, 2004)
  20. *Telamonia dimidiata* (Simon, 1899) (Sharma and Sharma, 2015)
  21. *Thiania* sp. (Sharma and Sharma, 2015)
  22. *Thyene imperialis* (Rossi 1846) (Keswani, 2014)
- 14. Maharashtra**
1. *Aelurillus improvisus* Azarkina, 2002 (Rithe, 2012)
  2. *Aelurillus quadrimaculatus* Simon, 1889 (More and Sawant, 2013)
  3. *Asemonea cristata* Thorell, 1895 (Rithe, 2012)
  4. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (More and Sawant, 2013)
  5. *Bavia kairali* Samson and Sebastian, 2002 (Samson and Sebastian, 2002)
  6. *Bianor angulosus* (Karsch, 1879) (More and Sawant, 2013)
  7. *Bianor narmadaensis* (Tikader, 1975) (Rithe, 2012)
  8. *Bianor pashanensis* (Tikader, 1975) (Tikader, 1975)
  9. *Brettus cingulatus* Thorell, 1895 (Rithe, 2012)
  10. *Burmattus pococki* (Thorell, 1895) (Rithe, 2012)
  11. *Carrhotus viduus* (C.L. Koch, 1846) (Prószyński, 1992b)

12. *Chrysilla volupe* (Karsch, 1879) (Caleb et al., 2018a)
13. *Cosmophasis miniaceomicans* (Simon, 1887) (More and Sawant, 2013)
14. *Cosmophasis umbratica* Simon, 1903 (Rithe, 2012)
15. *Curubis sipeki* Dobroruka, 2004 (Dobroruka, 2004)
16. *Cyba ocellata* (Kroneberg, 1875) (Nerlekar et al., 2016)
17. *Epeus albus* Prószyński, 1992 (More and Sawant, 2013)
18. *Epeus chilapataensis* (Biswas and Biswas, 1992) (More and Sawant, 2013)
19. *Epeus indicus* Prószyński, 1992 (Lanka et al., 2017)
20. *Epocilla aurantiaca* (Simon, 1885) (Lanka et al., 2017)
21. *Euophrys frontalis* (Walckenaer, 1802) (Chapke, 2012)
22. *Evarcha flavocincta* (C. L. Koch, 1846) (Chapke, 2012)
23. *Harmochirus brachiatus* (Thorell, 1877) (Sen et al., 2015)
24. *Harmochirus zabkai* Logunov, 2000 (Logunov, 2000)
25. *Hasarius adansoni* (Audouin, 1826) (Simon, 1885)
26. *Hyllus semicupreus* (Simon, 1885) (Meshram, 2011)
27. *Jerzego sunillimaye* Sanap et al., 2019 (Sanap et al., 2019)
28. *Langelurillus lacteus* Sanap et al., 2017 (Sanap et al., 2017)
29. *Langelurillus onyx* Caleb, Sanap, Joglekar and Prajapati, 2017 (Sanap et al., 2017)
30. *Lechia minuta* (Prószyński, 1992) (Rithe, 2012)
31. *Marpissa kalighatensis* Biswas and Biswas, 1992 (Rithe, 2012)
32. *Marpissa tigrina* Tikader, 1965 (Tikader and Biswas, 1981)
33. *Menemerus bivittatus* (Dufour, 1831) (More and Sawant, 2013)
34. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Tikader, 1977a)
35. *Myrmarachne incerta* Narayan, 1915 (Rithe, 2012)
36. *Myrmarachne laeta* (Thorell, 1887) (Rithe, 2012)
37. *Myrmarachne melanocephala* MacLeay, 1839 (Meshram, 2011)
38. *Myrmarachne poonaensis* Tikader, 1973 (More and Sawant, 2013)
39. *Myrmarachne prava* (Karsch, 1880) (Rithe, 2012)
40. *Myrmarachne providens* (Peckham and Peckham, 1892) (More and Sawant, 2013)
41. *Myrmarachne robusta* (Peckham and Peckham, 1892) (Tikader and Biswas, 1981)
42. *Myrmarachne satarensis* Narayan, 1915 (Narayan, 1915)
43. *Myrmarachne uniseriata* Narayan, 1915 (More and Sawant, 2013)
44. *Phidippus audax* (Hentz, 1845) (Rithe, 2012)
45. *Phidippus bengalensis* Tikader, 1977 (Tikader and Biswas, 1981)
46. *Phidippus bhimrakshiti* Gajbe, 2004 (Meshram, 2011)
47. *Phidippus khandalaensis* Tikader, 1977 (Tikader, 1977c)
48. *Phidippus otiosus* (Hentz, 1846) (Chapke, 2012)
49. *Phidippus punjabensis* Tikader, 1974 (Tikader, 1974a)
50. *Phidippus regius* C. L. Koch, 1846 (Chapke, 2012)
51. *Phintella indica* (Simon, 1901) (Rithe, 2012)
52. *Phintella macrops* (Simon, 1901) (Rithe, 2012)
53. *Phintella vittata* (C.L. Koch, 1846) (Tikader and Biswas, 1981)
54. *Phintelloides singhi* (Monga et al., 1988) (Rithe, 2012)
55. *Phintelloides undulatus* (Caleb and Karthikeyani, 2015) (Caleb and Acharya, 2020)
56. *Phlegra dhakuriensis* (Tikader, 1974) (Meshram, 2011)
57. *Piranthus decorus* Thorell, 1895 (Caleb and Sanap, 2017)
58. *Plexippus andamanensis* (Tikader, 1977) (Meshram, 2011)
59. *Plexippus insulanus* Thorell, 1881 (Khandelwal, 2014)
60. *Plexippus paykulli* (Audouin, 1826) (Tikader, 1974b)
61. *Plexippus petersi* (Karsch, 1878) (Chapke, 2012)
62. *Portia albimana* (Simon, 1900) (Ahmed et al., 2015)
63. *Portia fimbriata* (Doleschall, 1859) (More and Sawant, 2013)

64. *Proszynskia anusuae* (Tikader and Biswas, 1981) (Meshram, 2011)
65. *Rhene albigera* (C.L. Koch, 1846) (Prószyński, 1992b)
66. *Rhene danieli* Tikader, 1973 (Biswas and Biswas, 1992)
67. *Rhene decorata* Tikader, 1977 (Tikader, 1977b)
68. *Rhene flavicomans* Simon, 1902 (More and Sawant, 2013)
69. *Rhene haldanei* Gajbe, 2004 (More and Sawant, 2013)
70. *Rhene indica* Tikader, 1973 (Majumder, 2005)
71. *Rhene khandalaensis* Tikader, 1977 (Tikader, 1977b)
72. *Rhene sanghrakshiti* Gajbe, 2004 (Rithe, 2012)
73. *Rudakius ludhianaensis* (Tikader, 1974) (Tikader, 1974b)
74. *Siler semiglaucus* (Simon, 1901) (Rithe, 2012)
75. *Stenaelurillus albus* Sebastian et al., 2015 (Asarkar and Ade, 2017)
76. *Stenaelurillus arambagensis* (Biswas and Biswas, 1992) (Caleb et al., 2017a)
77. *Stenaelurillus jagannathae* Das et al., 2015 (Maheshwari and Chopda, 2017)
78. *Stenaelurillus lesserti* Reimoser, 1934 (Rithe, 2012)
79. *Telamonia dimidiata* (Simon, 1899) (Tikader and Biswas, 1981)
80. *Telamonia elegans* (Thorell, 1887) (Bastawade and Khandal, 2006)
81. *Telamonia peckhami* Thorell, 1891 (Rithe, 2012)
82. *Thiania bhamoensis* Thorell, 1887 (Meshram, 2011)
83. *Thyene imperialis* (Rossi 1846) (Rithe, 2012)
84. *Toxeus jajpurensis* (Prószyński, 1992) (Rithe, 2012)
- 15. Manipur**
1. *Aelurillus* sp. (Kananbala et al., 2018)
  2. *Bianor angulosus* (Karsch, 1879) (Kananbala et al., 2018)
  3. *Bianor pashanensis* (Tikader, 1975) (Kananbala et al., 2018)
  4. *Brettus anchorum* Wanless, 1979 (Kananbala et al., 2018)
  5. *Burmattus pococki* (Thorell, 1895) (Kananbala et al., 2018)
6. *Epeus* sp. (Kananbala et al., 2018)
7. *Epocilla praetextata* Thorell, 1887 (Kananbala et al., 2018)
8. *Harmochirus brachiatus* (Thorell, 1877) (Kananbala et al., 2018)
9. *Hyllus decoratus* Thorell, 1887 (Kananbala et al., 2018)
10. *Marpissa manipuriensis* Biswas and Biswas, 2004 (Kananbala et al., 2018)
11. *Menemerus brevibulbis* (Thorell, 1887) (Kananbala et al., 2018)
12. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Kananbala et al., 2018)
13. *Myrmarachne calcuttaensis* Biswas, 1984 (Majumder, 2005)
14. *Myrmarachne incerta* Narayan, 1915 (Kananbala et al., 2018)
15. *Myrmarachne kiboschensis* Lessert, 1925 (Kananbala et al., 2018)
16. *Myrmarachne vulgarisa* Barrion and Litsinger, 1995 (Kananbala et al., 2018)
17. *Phidippus punjabensis* Tikader, 1974 (Kananbala et al., 2018)
18. *Phintella vittata* (C.L. Koch, 1846) (Kananbala et al., 2018)
19. *Phintelloides manipur* Caleb, 2020 (Caleb and Acharya, 2020)
20. *Phintelloides versicolor* (C. L. Koch, 1846) (Caleb and Acharya, 2020)
21. *Plexippus paykulli* (Audouin, 1826) (Roy et al., 2016)
22. *Rhene flavigera* (C.L. Koch, 1846) (Kananbala et al., 2018)
23. *Rhene rubrigera* (Thorell, 1887) (Kananbala et al., 2018)
24. *Thiania bhamoensis* Thorell, 1887 (Sen et al., 2015)
25. *Yaginumaella* sp. (Kananbala et al., 2018)
- 16. Meghalaya**
1. *Bianorbalius* Thorell, 1890 (Logunov, 2019)
  2. *Bianor incitatus* Thorell, 1890 (Logunov, 2000)
  3. *Bianor narmadaensis* (Tikader, 1975) (Biswas and Biswas, 1992)
  4. *Bianor pseudomaculatus* Logunov, 2000 (Logunov, 2000)
  5. *Eupoia lehtineni* Logunov and Marusik, 2014 (Logunov and Marusik, 2014)
  6. *Hyllus semicupreus* (Simon, 1885) (Roy et al., 2017)
  7. *Phintella vittata* (C.L. Koch, 1846) (Roy et al., 2017)

8. *Plexippus paykulli* (Audouin, 1826) (Biswas and Majumder, 1995)
9. *Pseudicius andamanicus* (Tikader, 1977) (Biswas and Majumder, 1995)
10. *Rhene decorata* Tikader, 1977 (Roy et al., 2017)
11. *Telamonia dimidiata* (Simon, 1899) (Roy et al., 2017)
12. *Thiania bhamoensis* Thorell, 1887 (Roy et al., 2017)
- 17. Mizoram**
1. *Hasarius adansonii* (Audouin, 1826) (Chowdhury et al., 2017)
2. *Marpissa mizoramensis* Biswas and Biswas, 2007 (Biswas and Biswas, 2007)
3. *Marpissa tigrina* Tikader, 1965 (Biswas and Biswas, 2007)
4. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Chowdhury et al., 2017)
5. *Phidippus audax* (Hentz, 1845) (Chowdhury et al., 2017)
6. *Phintella vittata* (C.L. Koch, 1846) (Biswas and Biswas, 2007)
7. *Rhene danieli* Tikader, 1973 (Chowdhury et al., 2017)
- 18. Nagaland**
1. *Carrhotus sannio* (Thorell, 1877) (Caleb et al., 2020)
2. *Carrhotus viduus* (C.L. Koch, 1846) (Caleb et al., 2020)
3. *Pancorius nagaland* Caleb, 2019 (Caleb et al., 2019a)
- 19. Odisha**
1. *Aelurillus* sp. (Siliwal et al., 2008)
2. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (De and Palita, 2018)
3. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)
4. *Bianor narmadaensis* (Tikader, 1975) (Biswas, 1987)
5. *Bianor pashanensis* (Tikader, 1975) (Biswas, 1987)
6. *Carrhotus sannio* (Thorell, 1877) (Prószyński, 1992b)
7. *Carrhotus viduus* (C.L. Koch, 1846) (Biswas, 1987)
8. *Epeus albus* Prószyński, 1992 (Prószyński, 1992b)
9. *Epeus indicus* Prószyński, 1992 (Prószyński, 1992b)
10. *Epocilla* sp. (Choudhury et al., 2019)
11. *Habrocestoides bengalensis* Prószyński, 1992 (Prószyński, 1992b)
12. *Habrocestoides* sp. (Choudhury et al., 2019)
13. *Harmochirus brachiatus* (Thorell, 1877) (De and Palita, 2018)
14. *Hasarius adansonii* (Audouin, 1826) (De and Palita, 2018)
15. *Hyllus semicupreus* (Simon, 1885) (Biswas, 1987)
16. *Jajpurattus incertus* Prószyński, 1992 (Prószyński, 1992b)
17. *Menemerus bivittatus* (Dufour, 1831) (Panda et al., 2011)
18. *Menemerus fulvus* (L. Koch, 1878) (Choudhury et al., 2019)
19. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Prószyński, 1992b)
20. *Myrmarachne melanocephala* MacLeay, 1839 (Panda et al., 2011)
21. *Myrmarachne ramunni* Narayan, 1915 (Choudhury et al., 2019)
22. *Myrmarachne* sp. (Siliwal et al., 2008)
23. *Okinawicius daitaricus* (Prószyński, 1992) (Prószyński, 1992b)
24. *Pancorius daitaricus* (Prószyński, 1992) (Prószyński, 1992b)
25. *Pandisus indicus* Prószyński, 1992 (Prószyński, 1992b)
26. *Pellenes iva* Caleb, 2018 (Choudhury et al., 2019)
27. *Phidippus bengalensis* Tikader, 1977 (Biswas, 1987)
28. *Phintella bifurcata* Prószyński, 1992 (Prószyński, 1992b)
29. *Phintella debilis* (Thorell, 1891) (Prószyński, 1992b)
30. *Phintella vittata* (C.L. Koch, 1846) (De and Palita, 2018)
31. *Phlegra dhakuriensis* (Tikader, 1974) (Biswas, 1987)
32. *Plexippus paykulli* (Audouin, 1826) (Biswas, 1987)
33. *Plexippus petersi* (Karsch, 1878) (Panda et al., 2011)
34. *Portia* sp. (Siliwal et al., 2008)
35. *Rhene daitarensis* Prószyński, 1992 (Prószyński, 1992b)
36. *Rhene danieli* Tikader, 1973 (Biswas, 1987)
37. *Rhene indica* Tikader, 1973 (Biswas, 1987)
38. *Siler semiglaucus* (Simon, 1901) (Panda et al., 2011)

39. *Stenaelurillus arambagensis* (Biswas and Biswas, 1992) (Choudhury et al., 2019)
40. *Stenaelurillus gabrieli* Prajapati et al., 2016 (Choudhury et al., 2019)
41. *Stenaelurillus-wandae* Logunov, 2020 (Logunov, 2020)
42. *Telamonia dimidiata* (Simon, 1899) (Biswas, 1987)
43. *Thiania bhamoensis* Thorell, 1887 (Biswas, 1987)
44. *Thyene imperialis* (Rossi 1846) (Choudhury et al., 2019)
45. *Toxeus jaipurensis* (Prószyński, 1992) (Prószyński, 1992b)
- 20. Punjab**
1. *Bianor albobimaculatus* (Lucas, 1846) (Logunov, 2000)
  2. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)
  3. *Bianor punjabicus* Logunov, 2000 (Logunov, 2000)
  4. *Harmochirus zabkai* Logunov, 2000 (Logunov, 2000)
  5. *Marpissa tigrina* Tikader, 1965 (Tikader and Biswas, 1981)
  6. *Modunda staintoni* (Pickard-Cambridge, 1872) (Logunov, 2019)
  7. *Myrmarachne ludhianaensis* Sadana and Gupta, 1998 (Sadana and Gupta, 1998)
  8. *Myrmarachne prava* (Karsch, 1880) (Kumari, 1983)
  9. *Phidippus bengalensis* Tikader, 1977 (Tikader and Biswas, 1981)
  10. *Phidippus punjabensis* Tikader, 1974 (Tikader, 1974a)
  11. *Phintella vittata* (C.L. Koch, 1846) (Tikader and Biswas, 1981)
  12. *Plexippus paykulli* (Audouin, 1826) (Kumari, 1983)
  13. *Rhene citri* (Sadana, 1991) (Sadana, 1991)
  14. *Rhene indica* Tikader, 1973 (Tikader and Biswas, 1981)
  15. *Rhene khandalaensis* Tikader, 1977 (Kumari, 1983)
  16. *Rudakius ludhianaensis* (Tikader, 1974) (Tikader, 1974b)
  17. *Salticus scenicus* (Clerck, 1757) (Kumari, 1983)
  18. *Telamonia festiva* Thorell, 1887 (Kumari, 1983)
  19. *Thyene imperialis* (Rossi 1846) (Caleb, 2020b)
- 21. Rajasthan**
1. *Aelurillus improvisus* Azarkina, 2002 (Patil et al., 2016)
  2. *Aelurillus minimontanus* Azarkina, 2002 (Patil et al., 2016)
  3. *Afraflacilla* sp. (Kashmeera et al., 2020)
  4. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Lawania and Trigunayat, 2015)
  5. *Bavia* sp. (Lawania and Trigunayat, 2015)
  6. *Bianor albobimaculatus* (Lucas, 1846) (Lawania and Trigunayat, 2015)
  7. *Bianor pseudomaculatus* Logunov, 2000 (Lawania and Trigunayat, 2015)
  8. *Brettus anchorum* Wanless, 1979 (Patil et al., 2016)
  9. *Brettus cingulatus* Thorell, 1895 (Patil et al., 2016)
  10. *Cosmophasis umbratica* Simon, 1903 (Lawania and Trigunayat, 2015)
  11. *Curubis sipeki* Dobroruka, 2004 (Dobroruka, 2004)
  12. *Epocilla sirohi* Caleb et al., 2017 (Caleb et al., 2017b)
  13. *Hasarius adansoni* (Audouin, 1826) (Lawania and Trigunayat, 2015)
  14. *Hyllus semicupreus* (Simon, 1885) (Lawania and Trigunayat, 2015)
  15. *Langona* sp. (Kashmeera et al., 2020)
  16. *Marpissa* sp. (Sivaperuman and Rathore, 2004)
  17. *Menemerus bivittatus* (Dufour, 1831) (Lawania and Mathur, 2017)
  18. *Menemerus brachygnathus* (Thorell, 1887) (Kashmeera et al., 2020)
  19. *Mogrus rajasthanensis* Caleb et al., 2017 (Caleb et al., 2017b)
  20. *Myrmarachne melanocephala* MacLeay, 1839 (Lawania and Trigunayat, 2015)
  21. *Pellenes* sp. (Kashmeera et al., 2020)
  22. *Phidippus yashodharae* Tikader, 1977 (Lawania and Trigunayat, 2015)
  23. *Phintella vittata* (C.L. Koch, 1846) (Lawania and Trigunayat, 2015)
  24. *Plexippus paykulli* (Audouin, 1826) (Lawania and Trigunayat, 2015)
  25. *Plexippus petersi* (Karsch, 1878) (Lawania and Mathur, 2017)
  26. *Portia assamensis* Wanless, 1978 (Lawania and Trigunayat, 2015)
  27. *Rhene albigera* (C.L. Koch, 1846) (Sen et al., 2009)
  28. *Rudakius ludhianaensis* (Tikader, 1974) (Kashmeera et al., 2020)

29. *Telamonia dimidiata* (Simon, 1899) (Sen *et al.*, 2009)
30. *Telamonia vittata* (C.L.Koch, 1846) (Chauhan *et al.*, 2009)
31. *Thyene imperialis* (Rossi 1846) (Lawania and Mathur, 2017)
32. *Vailimia ajmerensis* Caleb and Jangid, 2020 (Basumatary *et al.*, 2020b)

## 22. Sikkim

1. *Phintella macrops* (Simon, 1901) (Sherriffs, 1931)
2. *Phintella vittata* (C.L. Koch, 1846) (Tikader, 1967)
3. *Plexippus paykulli* (Audouin, 1826) (Tikader, 1967)
4. *Pseudamycus himalaya* (Tikader, 1967) (Tikader, 1967)
5. *Telamonia festiva* Thorell, 1887 (Tikader, 1967)
6. *Telamonia vittata* (C.L.Koch, 1846) (Tikader, 1967)

## 23. Tamil Nadu

1. *Aelurillus kronestedti* Azarkina, 2004 (Caleb *et al.*, 2015)
2. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Simon, 1885)
3. *Attulus* sp. (Kapoor, 2008)
4. *Bavia kairali* Samson and Sebastian, 2002 (Samson and Sebastian, 2002)
5. *Bavia sexpunctata* (Doleschall, 1859) (Reimoser, 1934)
6. *Bavirecta casteti* (Simon, 1900) (Caleb *et al.*, 2019b)
7. *Bianorbalius* Thorell, 1890 (Reimoser, 1934)
8. *Bianor incitatus* Thorell, 1890 (Karthikeyani *et al.*, 2017)
9. *Brancus calebi* Kanesharatnam and Benjamin, 2018 (Caleb and Mathai, 2014)
10. *Brettus adonis* Simon, 1900 (Caleb, 2020b)
11. *Brettus anchorum* Wanless, 1979 (Karthikeyani *et al.*, 2017)
12. *Brettus cingulatus* Thorell, 1895 Kapoor, 2008
13. *Bristowia gandhii* Kanesharatnam and Benjamin, 2016 (Caleb, 2020a)
14. *Carrhotus silanthe* Caleb, 2020 (Caleb *et al.*, 2020)
15. *Carrhotus viduus* (C.L. Koch, 1846) (Sherriffs, 1931)
16. *Chalcotropis pennata* Simon, 1902 (Simon, 1902)

17. *Chrysilla volupe* (Karsch, 1879) (Caleb and Mathai, 2014)
18. *Cocalus* sp. (Caleb, 2016b)
19. *Colaxes nitidiventris* Simon, 1900 (Karthikeyani *et al.*, 2017)
20. *Curubis erratica* Simon, 1902 (Caleb and Karthikeyani, 2020)
21. *Cyrba ocellata* (Kroneberg, 1875) (Karthikeyani *et al.*, 2017)
22. *Epocilla aurantiaca* (Simon, 1885) (Simon, 1885)
23. *Evarcha infrastrigata* (Keyserling, 1881) (Dharmaraj *et al.*, 2017)
24. *Goleba puella* (Simon, 1885) (Simon, 1885)
25. *Harmochirus brachiatus* (Thorell, 1877) (Reimoser, 1934)
26. *Harmochirus exaggeratus* Caleb and Mathai, 2015 (Karthikeyani *et al.*, 2017)
27. *Harmochirus zabkai* Logunov, 2000 (Logunov, 2000)
28. *Hasarius adansoni* (Audouin, 1826) (Simon, 1885)
29. *Hyllus manu* Caleb *et al.*, 2014 (Karthikeyani *et al.*, 2017)
30. *Hyllus semicupreus* (Simon, 1885) (Simon, 1885)
31. *Icius alboterminus* (Caleb, 2014) (Karthikeyani *et al.*, 2017)
32. *Icius kumariae* Caleb, 2017 (Caleb, 2017)
33. *Jerzego bipartitus* (Simon, 1903) (Karthikeyani *et al.*, 2017)
34. *Langona albolinea* Caleb and Mathai, 2015 (Caleb *et al.*, 2015)
35. *Langona davidi* (Caleb *et al.*, 2015) (Caleb *et al.*, 2015)
36. *Langona tigrina* (Simon, 1885) (Karthikeyani *et al.*, 2017)
37. *Lyssomanes* sp. (Kapoor, 2008)
38. *Marengo sachintendulkar* Malamel *et al.*, 2019 (Malamel *et al.*, 2019a)
39. *Marpissa* sp. (Kapoor, 2008)
40. *Menemerus bivittatus* (Dufour, 1831) (Sherriffs, 1931)
41. *Mogrus fabrei* Simon, 1885 (Simon, 1885)
42. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Tikader, 1977a)
43. *Myrmarachne kuwagata* Yaginuma, 1967 (Caleb, 2020a)
44. *Myrmarachne laeta* (Thorell, 1887) (Narayan, 1915)
45. *Myrmarachne markaha* Barrion and Litsinger, 1995 (Sugimaran *et al.*, 2007)

46. *Myrmachne megachelae* Ganesh Kumar and Mohanasundaram, 1998 (Karthikeyani et al., 2017)
47. *Myrmachne melanocephala* MacLeay, 1839 (Caleb, 2020a)
48. *Myrmachne prava* (Karsch, 1880) (Caleb, 2020a)
49. *Myrmachne ramunni* Narayan, 1915 (Narayan, 1915)
50. *Myrmachne roeweri* Reimoser, 1934 (Reimoser, 1934)
51. *Myrmachne tristis* (Simon, 1882) (Narayan, 1915)
52. *Myrmachne uniseriata* Narayan, 1915 (Narayan, 1915)
53. *Nepalicius nepalicus* (Andreeva et al., 1984) (Prószyński, 1992b)
54. *Okinawicius modestus* (Simon, 1885) (Simon, 1885)
55. *Onomastus indra* Benjamin, 2010 (Karthikeyani et al., 2017)
56. *Onomastus patellaris* Simon, 1900 (Karthikeyani et al., 2017)
57. *Opisthoncus* sp. (Dharmaraj et al., 2017)
58. *Panysinus grammicus* Simon, 1902 (Simon, 1902)
59. *Pellenes iva* Caleb, 2018 (Caleb and Karthikeyani, 2020)
60. *Phanelus gladstone* Caleb and Mathai, 2015 (Caleb et al., 2015)
61. *Phidippus bengalensis* Tikader, 1977 (Umarani and Umamaheswari, 2013)
62. *Phidippus yashodharae* Tikader, 1977 (Dharmaraj et al., 2018)
63. *Phintella accentifera* (Simon, 1901) (Karthikeyani et al., 2017)
64. *Phintella coonooriensis* Proszyński, 1992 (Karthikeyani et al., 2017)
65. *Phintella indica* (Simon, 1901) (Prószyński, 1992b)
66. *Phintella nilgirica* Proszyński, 1992 (Karthikeyani et al., 2017)
67. *Phintella vittata* (C.L. Koch, 1846) (Caleb and Mathai, 2014)
68. *Phintelloides jesudasi* (Caleb and Mathai, 2014) (Caleb and Mathai, 2014)
69. *Phlegra davidi* (Caleb et al., 2015) (Caleb et al., 2015)
70. *Phlegra prasanna* Caleb and Mathai, 2015 (Caleb et al., 2015)
71. *Pilia escheri* Reimoser, 1934 (Reimoser, 1934)
72. *Pilia saltabunda* Simon, 1902 (Simon, 1902)
73. *Piranthus casteti* Simon, 1900 (Karthikeyani et al., 2017)
74. *Plexippus paykulli* (Audouin, 1826) (Reimoser, 1934)
75. *Plexippus petersi* (Karsch, 1878) (Karthikeyani et al., 2017)
76. *Plexippus redimitus* Simon, 1906 (Sherriffs, 1931)
77. *Plexippus* sp. (Kapoor, 2008)
78. *Portia albimana* (Simon, 1900) (Murphy and Murphy, 1983)
79. *Portia fimbriata* (Doleschall, 1859) (Dharmaraj et al., 2018)
80. *Portia labiata* (Thorell, 1887) (Caleb and Karthikeyani, 2020)
81. *Proszynskia diatreta* (Simon, 1902) (Simon, 1902)
82. *Rhene danieli* Tikader, 1973 (Dharmaraj et al., 2018)
83. *Rhene flavicomans* Simon, 1902 (Sherriffs, 1931)
84. *Rhene rubrigera* (Thorell, 1887) (Sherriffs, 1931)
85. *Rudakius ludhianaensis* (Tikader, 1974) (Caleb et al., 2019c)
86. *Salticus* sp. (Umarani and Umamaheswari, 2013)
87. *Servaea* sp. (Dharmaraj et al., 2017)
88. *Stenaelurillus lesserti* Reimoser, 1934 (Reimoser, 1934)
89. *Stenaelurillus metallicus* Caleb and Mathai, 2016 (Caleb, 2020b)
90. *Synagelides lehtineni* Logunov and Hereward, 2006 (Karthikeyani et al., 2017)
91. *Telamonia dimidiata* (Simon, 1899) (Caleb, 2020a)
92. *Telamonia elegans* (Thorell, 1887) (Sherriffs, 1931)
93. *Telamonia formosa* (Simon, 1902) (Sherriffs, 1931)
94. *Telamonia hasselti* (Thorell, 1878) (Sherriffs, 1931)
95. *Thiania bhamoensis* Thorell, 1887 (Sugimaran et al., 2007)
96. *Thyene imperialis* (Rossi 1846) (Caleb and Karthikeyani, 2020)
97. *Viciria diademata* Simon, 1902 (Caleb and Karthikeyani, 2020)
98. *Viciria minima* Reimoser, 1934 (Reimoser, 1934)
99. *Zeuxippus histrio* Thorell, 1891 (Thorell, 1891)

**24. Telangana**

1. *Bianor maculatus* (Keyserling, 1883) (Anitha and Vijay, 2016)
2. *Chrysilla volupe* (Karsch, 1879) (Caleb et al., 2018a)
3. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Sailu et al., 2017)
4. *Plexippus paykulli* (Audouin, 1826) (Sailu et al., 2017)

**25. Tripura**

1. *Asemonea* sp. (Dey et al., 2013)
2. *Brettus* sp. (Dey et al., 2013)
3. *Epeus* sp. (Dey et al., 2013)
4. *Menemerus bivittatus* (Dufour, 1831) (Dey et al., 2013)
5. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Dey et al., 2013)
6. *Myrmarachne melanocephala* MacLeay, 1839 (Dey et al., 2013)
7. *Phidippus punjabensis* Tikader, 1974 (Biswas and Majumder, 2000)
8. *Phintella vittata* (C.L. Koch, 1846) (Biswas and Majumder, 2000)
9. *Phintelloides versicolor* (C. L. Koch, 1846) (Dey et al., 2013)
10. *Plexippus paykulli* (Audouin, 1826) (Dey et al., 2013)
11. *Plexippus petersi* (Karsch, 1878) (Dey et al., 2013)
12. *Portia labiata* (Thorell, 1887) (Dey et al., 2013)
13. *Rhene danieli* Tikader, 1973 (Dey et al., 2013)
14. *Rudakius ludhianaensis* (Tikader, 1974) (Biswas and Majumder, 2000)
15. *Siler* sp. (Dey et al., 2013)
16. *Telamonia dimidiata* (Simon, 1899) (Dey et al., 2013)
17. *Thiania bhamoensis* Thorell, 1887 (Dey et al., 2013)
18. *Thiania cf. suboppressa* Strand, 1907 (Ahmed et al., 2020)

**26. Uttar Pradesh**

1. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Lawania and Mathur, 2014a)
2. *Bavia* sp. (Lawania and Mathur, 2014a)
3. *Bianor narmadaensis* (Tikader, 1975) (Biswas and Majumder, 1995)
4. *Carrhotus viduus* (C.L. Koch, 1846) (Hore, 2009)
5. *Cosmophasis umbratica* Simon, 1903 (Lawania and Mathur, 2014a)

6. *Harmochirus brachiatus* (Thorell, 1877) (Sharma and Singh, 2018)
7. *Hasarius adansoni* (Audouin, 1826) (Sharma and Singh, 2018)
8. *Hyllus semicupreus* (Simon, 1885) (Lawania and Mathur, 2014a)
9. *Marengo crassipes* Peckham and Peckham, 1892 (Sharma and Singh, 2018)
10. *Marpissa* sp. (Tandon and Lal, 1983)
11. *Myrmarachne himalayensis* Narayan, 1915 (Hore, 2009)
12. *Myrmarachne melanocephala* MacLeay, 1839 (Lawania and Mathur, 2014a)
13. *Opisthoncus* sp. (Chaubey, 2019)
14. *Phidippus clarus* Keyserling, 1885 (Anjali and Prakash, 2012)
15. *Phidippus yashodharae* Tikader, 1977 (Anjali and Prakash, 2012)
16. *Phintella bifurcata* Proszyński, 1992 (Hore, 2009)
17. *Phintella vittata* (C.L. Koch, 1846) (Lawania and Mathur, 2014b)
18. *Plexippus calcutaensis* (Tikader, 1974) (Sharma and Singh, 2018)
19. *Plexippus paykulli* (Audouin, 1826) (Hore and Uniyal, 2008)
20. *Plexippus petersi* (Karsch, 1878) (Sharma and Singh, 2018)
21. *Plexippus redimitus* Simon, 1906 (Hore, 2009)
22. *Portia albimana* (Simon, 1900) (Hore, 2009)
23. *Portia assamensis* Wanless, 1978 (Lawania and Mathur, 2014a)
24. *Rhene flavigera* (C.L. Koch, 1846) (Kumar et al., 2017)
25. *Rhene indica* Tikader, 1973 (Hore, 2009)
26. *Siler* sp. (Kumar et al., 2017)
27. *Stenaelurillus lesserti* Reimoser, 1934 (Sharma and Singh, 2018)
28. *Synagelides martensi* Bohdanowicz, 1987 (Logunov and Hereward, 2006)
29. *Telamonia dimidiata* (Simon, 1899) (Lawania and Mathur, 2014a)
30. *Telamonia festiva* Thorell, 1887 (Hore, 2009)
31. *Thiania* sp. (Kumar et al., 2017)

**27. Uttarakhand**

1. *Aelurillus quadrimaculatus* Simon, 1889 (Simon, 1889)

2. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Gupta and Siliwal, 2012)
  3. *Bianor albobimaculatus* (Lucas, 1846) (Logunov, 2019)
  4. *Bianor angulosus* (Karsch, 1879) (Siddhu et al., 2020)
  5. *Bianor incitatus* Thorell, 1890 (Pooja et al., 2019)
  6. *Bianor narmadaensis* (Tikader, 1975) (Biswas and Biswas, 2010)
  7. *Bianor pashanensis* (Tikader, 1975) (Biswas and Biswas, 2010)
  8. *Brettus anchorum* Wanless, 1979 (Pooja et al., 2019)
  9. *Carrhotus* sp. (Quasin and Uniyal, 2010)
  10. *Chrysilla volupe* (Karsch, 1879) (Caleb et al., 2018a)
  11. *Cosmophasis* sp. (Quasin and Uniyal, 2010)
  12. *Epeus indicus* Prószyński, 1992 (Gupta and Siliwal, 2012)
  13. *Epocilla aurantiaca* (Simon, 1885) (Gupta and Siliwal, 2012)
  14. *Evarcha pococki* Zabka, 1985 (Gupta and Siliwal, 2012)
  15. *Hasarius adansoni* (Audouin, 1826) (Gupta and Siliwal, 2012)
  16. *Heliophanus curvidens* (O. P.-Cambridge, 1872) (Uniyal et al., 2011)
  17. *Hyllus semicupreus* (Simon, 1885) (Quasin and Uniyal, 2010)
  18. *Marengo crassipes* Peckham and Peckham, 1892 (Gupta and Siliwal, 2012)
  19. *Marpissa pauariensis* Biswas and Roy, 2008 (Biswas and Roy, 2008)
  20. *Menemerus bivittatus* (Dufour, 1831) (Gupta and Siliwal, 2012)
  21. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Pooja et al., 2019)
  22. *Myrmarachne melanocephala* MacLeay, 1839 (Uniyal et al., 2011)
  23. *Myrmarachne prava* (Karsch, 1880) (Biswas and Biswas, 2010)
  24. *Nandicus frigidus* (Pickard-Cambridge, 1885) (Simon, 1889)
  25. *Nandicus mussooriensis* (Prószyński, 1992) (Prószyński, 1992a)
  26. *Nandicus vallisflorum* Caleb et al., 2018 (Caleb et al., 2018c)
  27. *Onomastus* sp. (Gupta and Siliwal, 2012)
  28. *Orientattus aurantius* (Kanesharatnam and Benjamin, 2018) (Caleb and Acharya, 2019)
  29. *Pancorius* sp. (Gupta and Siliwal, 2012)
  30. *Pellenes himalaya* Caleb et al., 2018 (Caleb et al., 2018c)
  31. *Phintella vittata* (C.L. Koch, 1846) (Gupta and Siliwal, 2012)
  32. *Phintelloides versicolor* (C. L. Koch, 1846) (Gupta and Siliwal, 2012)
  33. *Phlegra dhakuriensis* (Tikader, 1974) (Biswas and Biswas, 2010)
  34. *Plexippus calcutaensis* (Tikader, 1974) (Biswas and Biswas, 2010)
  35. *Plexippus paykulli* (Audouin, 1826) (Uniyal et al., 2011)
  36. *Portia albimana* (Simon, 1900) (Sherriffs, 1931)
  37. *Pseudicius* sp. (Uniyal et al., 2011)
  38. *Rhene danieli* Tikader, 1973 (Quasin and Uniyal, 2010)
  39. *Rhene flavigomans* Simon, 1902 (Uniyal et al., 2011)
  40. *Rhene flavigera* (C.L. Koch, 1846) (Quasin and Uniyal, 2010)
  41. *Rhene mus* (Simon, 1889) (Simon, 1889)
  42. *Rhene rubrigera* (Thorell, 1887) (Gupta and Siliwal, 2012)
  43. *Salticus* sp. (Uniyal et al., 2011)
  44. *Siler* sp. (Uniyal et al., 2011)
  45. *Stenaelurillus* sp. (Uniyal et al., 2011)
  46. *Telamonia dimidiata* (Simon, 1899) (Gupta and Siliwal, 2012)
  47. *Telamonia vittata* (C.L.Koch, 1846) (Sherriffs, 1931)
  48. *Thiania bhamoensis* Thorell, 1887 (Gupta and Siliwal, 2012)
  49. *Thyene* sp. (Gupta and Siliwal, 2012)
- 28. West Bengal**
1. *Aelurillus improvisus* Azarkina, 2002 (Sen et al., 2015)
  2. *Afraflacilla* sp. (Ahmed et al., 2019)
  3. *Asemonea cristata* Thorell, 1895 (Biswas and Biswas, 1992)
  4. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Tikader and Biswas, 1978)
  5. *Bianor angulosus* (Karsch, 1879) (Logunov, 2000)
  6. *Bianor narmadaensis* (Tikader, 1975) (Biswas and Biswas, 1992)
  7. *Bianor pseudomaculatus* Logunov, 2000 (Logunov, 2000)
  8. *Brettus anchorum* Wanless, 1979 (Sen et al., 2015)

9. *Brettus cingulatus* Thorell, 1895 (Sen et al., 2015)
10. *Carrhotus sannio* (Thorell, 1877) (Sen et al., 2015)
11. *Carrhotus tristis* Thorell, 1895 (Prószyński, 1992b)
12. *Carrhotus viduus* (C.L. Koch, 1846) (Tikader, 1974b)
13. *Cheliceroidea brevipalpis* Roy et al., 2016 (Roy et al., 2016)
14. *Chrysilla volupe* (Karsch, 1879) (Caleb et al., 2018a)
15. *Cocalus murinus* Simon, 1899 (Roy et al., 2016)
16. *Dexippus topali* Prószyński, 1992 (Prószyński, 1992b)
17. *Epeus chilapataensis* (Biswas and Biswas, 1992) (Biswas and Biswas, 1992)
18. *Epeus edwardsi* Barrion et Litsinger, 1995 (Dhali et al., 2010)
19. *Epeus indicus* Prószyński, 1992 (Dhali et al., 2017)
20. *Epocilla aurantiaca* (Simon, 1885) (Roy et al., 2016)
21. *Euophrys frontalis* (Walckenaer, 1802) (Roy et al., 2016)
22. *Euophrys omnisuperstes* Wanless, 1975 (Sen et al., 2015)
23. *Evarcha flavocincta* (C. L. Koch, 1846) (Dhali et al., 2017)
24. *Ghumattus primus* Prószyński, 1992 (Prószyński, 1992b)
25. *Habrocestoides bengalensis* Prószyński, 1992 (Prószyński, 1992b)
26. *Habrocestoides darjeelingus* Logunov, 1999 (Logunov, 1999)
27. *Habrocestoides indicus* Prószyński, 1992 (Logunov, 1999)
28. *Habrocestoides micans* Logunov, 1999 (Logunov, 1999)
29. *Habrocestoides nitidus* Logunov, 1999 (Logunov, 1999)
30. *Harmochirus brachiatus* (Thorell, 1877) (Sen et al., 2015)
31. *Harmochirus lloydii* Narayan, 1915 (Narayan, 1915)
32. *Hasarius adansoni* (Audouin, 1826) (Roy et al., 2016)
33. *Heliophanoides epigynalis* Prószyński, 1992 (Prószyński, 1992b)
34. *Heliophanoides spermathecalis* Prószyński, 1992 (Prószyński, 1992b)
35. *Hyllus bos* (Sundevall, 1833) (Sundevall, 1833)
36. *Hyllus pudicus* Thorell, 1895 (Prószyński, 1992b)
37. *Hyllus semicupreus* (Simon, 1885) (Tikader and Biswas, 1981)
38. *Imperceptus minutus* Prószyński, 1992 (Prószyński, 1992b)
39. *Indopadilla darjeeling* Caleb and Sankaran, 2019 (Caleb et al., 2019b)
40. *Jajpurattus incertus* Prószyński, 1992 (Prószyński, 1992b)
41. *Lechia minuta* (Prószyński, 1992b) (Prószyński, 1992b)
42. *Maevia* sp. (Oppenheimer and Tikader, 1976)
43. *Marpissa dayapurensis* Majumder, 2004 (Majumder, 2005)
44. *Marpissa edenae* Biswas and Biswas, 1992 (Majumder, 2005)
45. *Marpissa gangasagarensis* Majumder, 2005 (Majumder, 2005)
46. *Marpissa kalighatensis* Biswas and Biswas, 1992 (Biswas and Biswas, 1992)
47. *Marpissa nutanae* Biswas and Biswas, 1984 (Majumder, 2005)
48. *Marpissa prathamae* Biswas and Biswas, 1984 (Majumder, 2005)
49. *Marpissa tigrina* Tikader, 1965 (Tikader and Biswas, 1981)
50. *Megaeupoa gravelyi* (Caleb, 2018) (Caleb et al., 2018d)
51. *Menemerus bivittatus* (Dufour, 1831) (Sen et al., 2015)
52. *Menemerus brachygnathus* (Thorell, 1887) (Jastrzebski, 1997b)
53. *Menemerus brevibulbis* (Thorell, 1887) (Roy et al., 2016)
54. *Menemerus nigli* Wesołowska and Freudenschuss, 2012 (Chatterjee et al., 2017)
55. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Narayan, 1915)
56. *Myrmarachne calcuttaensis* Biswas, 1984 (Biswas and Biswas, 1992)
57. *Myrmarachne caliraya* Barrion and Litsinger, 1995 (Sen et al., 2015)
58. *Myrmarachne himalayensis* Narayan, 1915 (Narayan, 1915)
59. *Myrmarachne incerta* Narayan, 1915 (Narayan, 1915)
60. *Myrmarachne kiboschensis* Lessert, 1925 (Prószyński, 1992b)
61. *Myrmarachne melanocephala* MacLeay, 1839 (Tikader and Biswas, 1981)

62. *Myrmachne opaca* (Karsch, 1880) (Dhali et al., 2010)
63. *Myrmachne prava* (Karsch, 1880) (Tikader and Biswas, 1981)
64. *Myrmachne pumilio* (Karsch, 1880) (Benjamin, 2015)
65. *Myrmachne robusta* (Peckham and Peckham, 1892) (Tikader and Biswas, 1981)
66. *Myrmachne transversa* (Mukerjee, 1930) (Mukerjee, 1930)
67. *Myrmachne tristis* (Simon, 1882) (Narayan, 1915)
68. *Neobrettus tibialis* (Prószyński, 1978) (Banerjee et al., 2019)
69. *Pancorius darjeelingianus* Prószyński, 1992 (Prószyński, 1992b)
70. *Pancorius magnus* Źabka, 1985 (Prószyński, 1992b)
71. *Pancorius submontanus* Prószyński, 1992 (Prószyński, 1992b)
72. *Pancorius tagorei* Prószyński, 1992 (Prószyński, 1992b)
73. *Phaeacius fimbriatus* Simon, 1900 (Roy et al., 2016)
74. *Phidippus bengalensis* Tikader, 1977 (Tikader, 1977a)
75. *Phidippus calcuttaensis* Biswas, 1984 (Yadav et al., 2017)
76. *Phintella bifurcata* Prószyński, 1992 (Prószyński, 1992b)
77. *Phintella debilis* (Thorell, 1891) (Prószyński, 1992b)
78. *Phintella suknana* Prószyński, 1992 (Prószyński, 1992b)
79. *Phintella vittata* (C.L. Koch, 1846) (Tikader and Biswas, 1981)
80. *Phlegra dhakuriensis* (Tikader, 1974) (Tikader, 1974b)
81. *Plexippus andamanensis* (Tikader, 1977) (Majumder, 2005)
82. *Plexippus calcutaensis* (Tikader, 1974) (Tikader, 1974b)
83. *Plexippus paykulli* (Audouin, 1826) (Tikader, 1974b)
84. *Portia fimbriata* (Doleschall, 1859) (Sen et al., 2015)
85. *Proszynskia anusuae* (Tikader and Biswas, 1981) (Tikader and Biswas, 1981)
86. *Rudakius ludhianaensis* (Tikader, 1974) (Biswas and Biswas, 1992)
87. *Rhene albigera* (C.L. Koch, 1846) (Dhali et al., 2010)
88. *Rhene callida* Peckham and Peckham, 1895 (Peckham and Peckham, 1895)
89. *Rhene danieli* Tikader, 1973 (Tikader and Biswas, 1981)
90. *Rhene darjeelingiana* Proszyński, 1992 (Proszyński, 1992b)
91. *Rhene decorata* Tikader, 1977 (Tikader and Biswas, 1981)
92. *Rhene flavicomans* Simon, 1902 (Dhali et al., 2010)
93. *Rhene flavigera* (C.L. Koch, 1846) (Dhali et al., 2010)
94. *Rhene formosa* Rollard and Wesołowska, 2002 (Dhali et al., 2010)
95. *Rhene indica* Tikader, 1973 (Tikader, 1977a)
96. *Rhene khandalaensis* Tikader, 1977 (Biswas and Biswas, 1992)
97. *Rhene pantharae* Biswas and Biswas, 1992 (Biswas and Biswas, 1992)
98. *Rhene rubrigera* (Thorell, 1887) (Sen et al., 2015)
99. *Rudakius ludhianaensis* (Tikader, 1974) (Biswas and Biswas, 1992)
100. *Salticus* sp. (Talukdar and Majumder, 2008)
101. *Siler semiglaucus* (Simon, 1901) (Sen et al., 2015)
102. *Similaria enigmatica* Prószyński, 1992 (Prószyński, 1992b)
103. *Stenaelurillus arambagensis* (Biswas and Biswas, 1992) (Biswas and Biswas, 1992)
104. *Synagelides darjeelingus* Logunov and Hereward, 2006 (Logunov and Hereward, 2006)
105. *Telamonia dimidiata* (Simon, 1899) (Tikader and Biswas, 1981)
106. *Telamonia festiva* Thorell, 1887 (Roy et al., 2016)
107. *Telamonia vittata* (C.L.Koch, 1846) (Tikader and Biswas, 1981)
108. *Thiania bhamoensis* Thorell, 1887 (Tikader and Biswas, 1981)
109. *Yaginumaella senchalensis* Prószyński, 1992 (Prószyński, 1992b)
110. *Zygoballus* sp. (Agrawal and Ghose, 1995a)

## II. DIVERSITY OF JUMPING SPIDERS IN UNION TERRITORIES

### 1. Andaman and Nicobar Islands

1. *Asemonea tenuipes* (Pickard-Cambridge, 1869) (Tikader, 1977a)
2. *Cosmophasis cf. bitaeniata* (Keyserling 1882) (John, 2020)
3. *Cosmophasis miniaceomicans* (Simon, 1887) (Simon, 1888)
4. *Cosmophasis* sp. (John, 2020)
5. *Cytaea albolumbata* Simon, 1887 (Simon, 1888)
6. *Hasarius kjellerupi* Thorell, 1891 (Thorell, 1891)
7. *Marpissa kalapani* Tikader, 1977 (Tikader, 1977a)
8. *Menemerus albocinctus* Keyserling, 1890 (Keyserling, 1890)
9. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Tikader, 1977a)
10. *Myrmarachne melanocephala* MacLeay, 1839 (Tikader, 1977a)
11. *Myrmarachne prava* (Karsch, 1880) (Tikader, 1977a)
12. *Phaeacius* sp. (John, 2020)
13. *Phidippus yashodharae* Tikader, 1977 (Tikader, 1977c)
14. *Phintella reinhardti* (Thorell, 1891) (Thorell, 1891)
15. *Phintella vittata* (C.L. Koch, 1846) (Sen et al., 2015)
16. *Plexippus andamanensis* (Tikader, 1977) (Tikader, 1977a)
17. *Plexippus paykulli* (Audouin, 1826) (Tikader, 1977a)
18. *Pseudicius andamanicus* (Tikader, 1977) (Tikader, 1977a)
19. *Rhene indica* Tikader, 1973 (Tikader, 1977a)
20. *Rhene rubrigera* (Thorell, 1887) (Sherriffs, 1931)
21. *Salticus scenicus* (Clerck, 1757) (Thorell, 1891)
22. *Telamonia peckhami* Thorell, 1891 (Thorell, 1892)
23. *Thiania bhamoensis* Thorell, 1887 (Tikader and Biswas, 1981)
24. *Toxeus maxillosus* C.L. Koch, 1846 (Thorell, 1892)

### 2. Chandigarh

1. *Myrmarachne platypalpa* Bradoo, 1980 (Bradoo, 1980)

### 3. Delhi

1. *Harmochirus brachiatus* (Thorell, 1877) (Malik et al., 2015)
  2. *Rudakius ludhianaensis* (Tikader, 1974) (Malik et al., 2015)
  3. *Stenaelurillus jagannathae* Das et al., 2015 (Vidhel et al., 2015)
  4. *Thyene imperialis* (Rossi 1846) (Malik et al., 2015)
- 
- ### 4. Jammu and Kashmir
1. *Afraflacilla flavipes* (Caporiacco, 1935) (Caporiacco, 1935)
  2. *Attulus diductus* (Pickard-Cambridge, 1885) (Caporiacco, 1935)
  3. *Bianor albobimaculatus* (Lucas, 1846) (Punjoo and Bhat, 2015)
  4. *Chalcoscirtus glacialis* Caporiacco, 1935 (Caporiacco, 1935)
  5. *Cyrba algerina* (Lucas, 1846) (Caporiacco, 1935)
  6. *Dendryphantes caporiaccoi* Roewer, 1951 (Caporiacco, 1935)
  7. *Dolichoneon typicus* Caporiacco, 1935 (Caporiacco, 1935)
  8. *Euophrys concolorata* Roewer, 1951 (Caporiacco, 1935)
  9. *Euophrys evae* Żabka, 1981 (Żabka, 1981)
  10. *Evarcha jucunda* (Lucas, 1846) (Caporiacco, 1935)
  11. *Hasarius adansonii* (Audouin, 1826) (Caporiacco, 1935)
  12. *Heliophanus curvidens* (O. P.-Cambridge, 1872) (Prószyński, 1992b)
  13. *Hyllus semicupreus* (Simon, 1885) (Khan, 2006)
  14. *Marpissa* sp. (Khan, 2009)
  15. *Myrmaplata plataleoides* (Pickard-Cambridge, 1869) (Punjoo and Bhat, 2015)
  16. *Myrmarachne corpuzrarosae* Barrion, 1981 (Khan, 2013)
  17. *Myrmarachne hidaspis* Caporiacco, 1935 (Caporiacco, 1935)
  18. *Myrmarachne himalayensis* Narayan, 1915 (Khan, 2011)
  19. *Myrmarachne melanocephala* MacLeay, 1839 (Punjoo and Bhat, 2015)
  20. *Nandicius frigidus* (Pickard-Cambridge, 1885) (Prószyński, 1992b)
  21. *Nandicius pseudoiocoides* (Caporiacco, 1935) (Caporiacco, 1935)

22. *Pellenes allegrii* Caporiacco, 1935 (Caporiacco, 1935)
23. *Phidippus punjabensis* Tikader, 1974 (Thakur et al., 1995)
24. *Phidippus* sp. (Khan, 2009)
25. *Plexippus paykulli* (Audouin, 1826) (Khan, 2006)
26. *Salticus beneficus* (Pickard-Cambridge, 1885) (Caporiacco, 1935)
27. *Salticus devotus* (Pickard-Cambridge, 1885) (Caporiacco, 1935)
28. *Telamonia dimidiata* (Simon, 1899) (Khan, 2006)
29. *Yllenus baltistanus* Caporiacco, 1935 (Caporiacco, 1935)
30. *Zygodallus* sp. (Khan, 2011)

### 5. Ladakh

1. *Attulus avocator* (Pickard-Cambridge, 1885) (Žabka, 1981)
2. *Chalcoscirtus martensi* Žabka, 1980 (Žabka, 1981)
3. *Marusyllus gregoryi* (Logunov, 2010) (Logunov, 2010)
4. *Marusyllus karnai* (Logunov and Marusik, 2003) (Logunov and Marusik, 2003)
5. *Yllenus baltistanus* Caporiacco, 1935 (Logunov, 2010)

### ACKNOWLEDGMENT

We thank to Dr. Shelley Acharya and Dr. J.T.D. Caleb, Zoological Survey of India, M-Block, New Alipore, Kolkata, India for providing valuable literatures.

### REFERENCES

1. **Abhijith A.P.C.** <https://www.mysorenature.org/mysorenature/Spiders-of-Mysore-Area>, as on 15/10/2019.
2. **Adarsh C.K. and Nameer P.O.** (2016). A preliminary checklist of spiders (Araneae: Arachnida) in Chinnar Wildlife Sanctuary, Western Ghats, India. *Journal of Threatened Taxa*. 8(4): 8703–8713.
3. **Agrawal V.C. and Ghose R.K.** (1995a). Fauna of Conservation Areas No. 8: Fauna of Sunderbans Tiger Reserve, Zoological Survey of India, pp. 1-46.
4. **Agrawal V.C. and Ghose R.K.** (1995b). Fauna of Conservation Areas No. 8: Fauna of Palamau Tiger Reserve, Zoological Survey of India, pp. 83-103.
5. **Ahmed J., Satam Y., Khalap R. and Mohan K.** (2015). First record of *Portia albimana* (Simon, 1900) from Maharashtra, Mumbai (Araneae: Salticidae: Spartaeinae). *Peckhamia*. 129.1: 1-6.
6. **Ahmed J., Khalap R., Hill D.E., Mohan K., Sumukha J.N. and Satpute S.** (2017). Tadpole predation by a jumping spider in Maharashtra (Araneae: Salticidae). *Peckhamia*. 159.1: 1-2.
7. **Ahmed J., Laha S. and Pearce R.J.** (2019). First record of the genus *Afraflacilla* Berland and Millot, 1941 in India (Araneae: Salticidae: Chrysillini). *Peckhamia*. 190.1: 1-3.
8. **Ahmed J., Chakraborti A. and Hill D.E.** (2020). First record of *Thiania cf. subopressa* Strand 1907 (Araneae: Salticidae: Euophryini) from India with some natural history notes on the species. *Peckhamia*. 214.1: 1-5.
9. **Anitha G. and Vijay J.** (2016). Quantification of the abundance and diversity of predatory spiders in rice ecosystem of Rajendranagar, Telangana, India. *Journal of Applied and Natural Science*. 8 (2): 1010-1014.
10. **Anjali and Prakash S.** (2012). Diversity of spiders (Araneae) from semi arid habitat of Agra (India). *Indian Journal of Arachnology*. 1(2): 66-72.
11. **Asalatha P.K., Dhali D.C., Prasad P.K. and Sureshan P.M.** (2017). Study on spider fauna (Araneae: Arachnida) of Pookode Lake, Wayanad, Kerala. In. Mainstreaming Biodiversity for Sustainable Development 2017 (Eds. Cheruvat D., Nilayangode P., Oommen O.V.), Kerala State Biodiversity Board, Thiruvananthapuram, pp. 207-215.
12. **Asarkar G.M. and Ade P.P.** (2017). Spider density and diversity in agroecosystem of Akola district (Vidharbh). *International Journal of Life Sciences, Special Issue*. A8: 103-108.
13. **Azarkina G.N.** (2002). New and poorly known species of the genus *Aelurillus* Simon, 1884 from central Asia, Asia Minor

- and the eastern Mediterranean (Araneae: Salticidae). *Bulletin of the British Arachnological Society*. 12: 249-263.
14. **Banerjee I., Caleb J.T.D. and Hill D.E.** (2019). New observations of the jumping spider *Neobrettus tibialis* (Araneae: Salticidae: Spartaeini) in West Bengal, India. *Peckhamia*. 198.1: 1-9.
  15. **Bastawade D.B.** (2002). Three new species from the spider families Amaurobiidae, Thomisidae and Salticidae (Araneae: Arachnida) from India. *Journal of the Bombay Natural History Society*. 99(2): 274-281.
  16. **Bastawade D.B. and Borkar M.** (2008). Arachnida (orders Scorpiones, Uropygi, Amblypygi, Araneae and Phalangida). In: *Fauna of Goa State Fauna Series. Zoological Survey of India, Kolkata*. 16: 211-242.
  17. **Bastawade D.B. and Khandal D.** (2006). Arachnida: Araneae (Spiders). In: *Fauna of Sanjay Gandhi National Park (Invertebrates) Borivali, Mumbai (Maharashtra), Conservation Area Series. Zoological Survey of India, Kolkata*. 26: 139-184.
  18. **Basumatary P. and Brahma D.** (2017). Checklist of spiders from Chakrashila Wildlife Sanctuary, Assam. *International Journal of Zoology Studies*. 2(5): 22-26.
  19. **Basumatary P., Das S., Kalita J. and Brahma D.** (2018). New record of *Hyllus diardi* (Walckenaer 1837) (Araneae: Salticidae) from India. *Acta Arachnologica*. 67(1): 35-37.
  20. **Basumatary P., Das S., Caleb J.T.D. and Brahma D.** (2020a). First record of the genus *Chinattus* Logunov 1999 with the description of a new species from India (Araneae: Salticidae: Hasariini). *Acta Arachnologica*. 69(2): 127-129.
  21. **Basumatary P., Caleb J.T.D., Das S., Jangid A.K., Kalita J. and Brahma D.** (2020b). First record of the genus *Vailimia* Kammerer, 2006 from India, with the description of two new species (Araneae: Salticidae: Plexippina). *Zootaxa*. 4790(1): 178-186.
  22. **Benjamin S.P.** (2015). Model mimics: antlike jumping spiders of the genus *Myrmecophantes* from Sri Lanka. *Journal of Natural History*. 49(43-44): 2609-2666.
  23. **Bhat P.S., Srikumar K.K., Raviprasad T.N.** (2013). Seasonal diversity and status of spiders (Arachnida: Araneae) in cashew ecosystem. *World Applied Sciences Journal*. 22(6): 763-770.
  24. **Biswas B.** (1987). Araneae: Spiders (Families: Araneidae Gnaphosidae and Salticidae) In: *Fauna of Orissa State, Fauna Series, Zoological Survey of India, Kolkata*. pp. 257-272.
  25. **Biswas B. and Biswas K.** (1992). Araneae: Spiders. In: *State Fauna Series 3: Fauna of West Bengal, Zoological Survey of India, Kolkata*. 3: 357-500.
  26. **Biswas B. and Biswas K.** (2006). Araneae: Spiders. In: *Fauna of Arunachal Pradesh, State Fauna Series, Zoological Survey of India, Kolkata*. 13(2): 491-518.
  27. **Biswas B. and Biswas K.** (2007). Araneae: Spiders. In: *Fauna of Mizoram, State Fauna Series, Zoological Survey of India, Kolkata*. 14: 455-475.
  28. **Biswas B. and Biswas K.** (2010). Fauna of Uttarakhand. *State Fauna Series, (Part-3)*. Araneae: Spider, *Zoological Survey of India*. 18: 243-282.
  29. **Biswas B. and Majumder S.C.** (1995). Araneae Spider. In: *Fauna of Meghalaya, State Fauna Serie, Zoological Survey of India*. 4(2): 93-128.
  30. **Biswas B. and Majumder S.C.** (2000). *Fauna of Tripura (Arachnida: Araneae)*, *State Fauna Series, Zoological Survey of India, Kolkata*. 7: 113-122.
  31. **Biswas B. and Roy R.** (2008). Description of six new species of spiders of the genera *Lathys* (Family: Dictynidae), *Marpissa* (Family: Salticidae), *Misumenoides* (Family: Thomisidae), *Agroeca* (Family: Clubionidae), *Gnaphosa* (Family: Gnaphosidae) and *Flanona* (Family: Lycosidae) from India. *Records of the Zoological Survey of India*, 108: 43-57.
  32. **Borges L.M., da Rosa C.M., Dri G.F. and Bertani R.** (2016). Predation of the snake *Erythrolamprus almadensis* (Wagler 1824) by the tarantula *Grammostola quirogai* Montes

- De Oca D'Elía and Pérez-Miles 2016. *Herpetology Notes*. 9: 321-322.
33. **Bradoo B.L.** (1980). A new ant-like spider of the genus *Myrmarachne* (Salticidae) from India. *Current Science*. 49: 387-388.
34. **Bulbert M.W., O'Hanlon J.C., Zappettini S., Zhang S. and Li D.** (2015). Sexually selected UV signals in the tropical ornate jumping spider, *Cosmophasis umbratica*, may incur costs from predation. *Ecology and Evolution*. 5(4): 914-920.
35. **Caleb J.T.D.** (2016a). New data on the jumping spiders (Araneae: Salticidae) from India. *Arthropoda Selecta*. 25(3): 271-277.
36. **Caleb J.T.D.** (2016b). First record of the genus *Cocalus* C.L.Koch, 1846 (Araneae: Salticidae) from India. *Peckhamia*. 135 1: 1-4.
37. **Caleb J.T.D.** (2017). Jumping spiders of the genus *Icius* Simon, 1876 (Araneae: Salticidae) from India, with a description of a new species. *Arthropoda Selecta*. 26(4): 323-327.
38. **Caleb J.T.D.** (2020a). Spiders (Arachnida: Araneae) from the vicinity of Araabath Lake, Chennai, India. *Journal of Threatened Taxa*. 12(1): 15186-15193.
39. **Caleb J.T.D.** (2020b). Spider (Arachnida: Araneae) fauna of the scrub jungle in the Madras Christian College campus, Chennai, India. *Journal of Threatened Taxa*. 12(7): 15711-15766.
40. **Caleb J.T.D. and Acharya S.** (2019). First record of the genus *Schenkelia* Lessert, 1927 (Araneae: Salticidae) from India. *Acta Arachnologica*. 68(2): 73-75.
41. **Caleb J.T.D. and Acharya S.** (2020). Jumping spiders of the genus *Phintelloides* from India, with the description of a new species (Araneae: Salticidae: Chrysillini). *Revue Suisse de Zoologie*. 127(1): 95-100.
42. **Caleb J.T.D. and Karthikeyani R.** (2020). JoTT Checklist of the spiders of Tamil Nadu (v1.0), accessed on 20 September, 2020.
43. **Caleb J.T.D. and Mathai M.T.** (2014). Description of some interesting jumping spiders (Araneae: Salticidae) from South India. *Journal of Entomology and Zoology Studies*. 2(5): 63-71.
44. **Caleb J.T.D. and Sanap R.V.** (2017). Rediscovery of *Piranthus decorus* Thorell 1895 (Araneae: Salticidae) after 122 years since the original description. *Acta Arachnologica*. 66(1): 25-29.
45. **Caleb J.T.D. and Sankaran P.M.** (2020). Araneae of India, version 2020. <https://indianspiders.in>, accessed on December 20, 2020.
46. **Caleb J.T.D., Mungkung S. and Mathai M.T.** (2015). Four new species of jumping spider (Araneae: Salticidae: Aelurillinae) with the description of a new genus from South India. *Peckhamia*. 124.1: 1-18.
47. **Caleb J.T.D., Prajapati D.A., Rameshwar Maheshwari N. and Sanap R.V.** (2017a). Redescription and synonymy of *Stenaelurillus arambagensis* (Biswas et Biswas, 1992) comb. n. (Araneae: Salticidae). *Arthropoda Selecta*. 26(2): 119-123.
48. **Caleb J.T.D., Chatterjee S., Tyagi K., Kundu S. and Kumar V.** (2017b). Two new jumping spiders of the genera *Epocilla* Thorell, 1887 and *Mogrus* Simon, 1882 from India (Araneae: Salticidae). *Arthropoda Selecta*. 26(4): 329-334.
49. **Caleb J.T.D., Sanap R.V., Patel K.G., Sudhin P.P., Nafin K.S. and Sudhikumar A.V.** (2018a). First description of the female of *Chrysilla volupe* (Karsch, 1879) (Araneae: Salticidae: Chrysillini) from India, with notes on the species' distribution and life history. *Arthropoda Selecta*. 27(2): 143-153.
50. **Caleb J.T.D., Chatterjee S., Tyagi K., Kundu S. and Kumar V.** (2018b). A new generic record and two new species of jumping spiders (Araneae: Salticidae) from India. *Acta Arachnologica*. 67(1): 7-12.
51. **Caleb J.T.D., Sajan S.K. and Kumar V.** (2018c). New jumping spiders from the alpine meadows of the Valley of Flowers, western Himalayas, India (Araneae, Salticidae). *ZooKeys*. 783: 113-124.
52. **Caleb J.T.D., Acharya S. and Kumar V.** (2018d). From a century ago: a new spartaeine species from the Eastern Himalayas (Aranei: Salticidae). *Arthropoda Selecta*. 27(3): 232-236.

- 53.** **Caleb J.T.D., Bera C., Acharya S. and Kumar V.** (2019a). Jumping spiders of the genus *Pancorius* Simon, 1902 (Araneae: Salticidae: Plexippini) from eastern India, with a description of a new species. *Arthropoda Selecta*. 28(2): 261-266.
- 54.** **Caleb J.T.D., Sankaran P.M., Nafin K.S. and Acharya S.** (2019b). *Indopadilla*, a new jumping spider genus from India (Araneae: Salticidae). *Arthropoda Selecta*. 28(4): 567-574.
- 55.** **Caleb, J.T.D., Prajapati, D.A. and Ali, P.A.** (2019c). Redescription of *Rudakius ludhianaensis* (Tikader, 1974) (Aranei: Salticidae), with notes on its synonymy and distribution. *Arthropoda Selecta*, 28(3): 417-423.
- 56.** **Caleb J.T.D., Bera C. and Acharya S.** (2020). New species and synonymies in the genus *Carrhotus* Thorell, 1891 from India (Aranei: Salticidae: Salticini). *Arthropoda Selecta*. 29(1): 51-66.
- 57.** **Caporiacco L. di** (1935). Aracnidi dell'Himalaia e del Karakoram raccolti dalla Missione italiana al Karakoram (1929-VII). *Memorie della Società Entomologica Italiana Genova*. 13: 161-263.
- 58.** **Chapke S.P.** (2012). Spider diversity of agroecosystem in Washim district (MS) India. *Indian Journal of Research*. 1(7): 73-76.
- 59.** **Chatterjee S., Caleb J.T.D., Tyagi K., Kundu S. and Kumar V.** (2017). First report of *Menemerus nigli* (Araneae: Salticidae) from India. *Halteres*. 8: 109-111.
- 60.** **Chaubey S.N.** (2019). Studies on habit and habitat, external morphology, feeding capacity and prey preference of garden jumping spider, *Opisthoncus* species. *Indian Journal of Scientific Research*. 10(1): 29-33.
- 61.** **Chauhan R., Sihag V. and Singh N.P.** (2009). Distribution and biocontrol potential of chosen spiders. *Journal of Biopesticides*. 2(2): 151-155.
- 62.** **Chetia P. and Kalita D.K.** (2012). Diversity and distribution of spiders from Gibbon Wildlife Sanctuary, Assam, India. *Indian Journal of Arachnology*. 1(1): 130-142.
- 63.** **Chetry A. and Moran J.** (2019). Diversity of Namsai District, Arunachal Pradesh, India. *International Journal of Basic and Applied Research*. 9(7): 343-351.
- 64.** **Choudhury S.R., Siliwal M. and Das S.K.** (2019). Spiders of Odisha: a preliminary checklist. *Journal of Threatened Taxa*. 11(9): 14144-14157.
- 65.** **Chowdhury S., Bhattacharjee T.B., Dey J.K. and Bhattacharjee J.** (2017). Diversity of predatory spider and their species composition in rice ecosystem in Kolasib district of Mizoram. *Innovative Farming*. 2(1): 12-18.
- 66.** **Crompton J.** (1954). The Life of the Spider. New York: New American Library, pp. 77.
- 67.** **Das S., Bhattacharjee R. and Saikia P.K.** (2015). Comprehensive checklist of diurnal spider diversity in Guwahati metropolitan area, Kamrup, Assam. *Tropical Zoology*. 5: 121-131.
- 68.** **De, K. and Palita S.K.** (2018). A checklist of spiders from six sacred groves in Southern Odisha, India. *Serket*. 16(1): 30-40.
- 69.** **Dey A., Debnath S., Debbarma B., Chaudhuri P.S.** (2013). A preliminary study on spider diversity from a house hold garden artificial mixed plantation in West Tripura, India. *Journal of Research in Biology*. 3:1009-1017.
- 70.** **Dhali D.C., Sen S., Saha S., Raychaudhuri D.** (2010). Jumping spiders (Araneae: Salticidae) of four reserve forests of Dooars, West Bengal. *Bionotes*. 12(1): 24-25.
- 71.** **Dhali D.C., Saha S. and Raychaudhuri D.** (2017). Litter and ground dwelling spiders (Araneae: Arachnida) of reserve forests of Dooars West Bengal (Monograph). *World Scientific News*. 63:1-242.
- 72.** **Dharmaraj J., Gunasekaran C., Rajkumar V. and Chinnaraj P.** (2017). Diversity of spiders (Arachnida: Araneae) in Nilgiris, Tamil Nadu. *International Journal of Advanced Research in Biological Sciences*. 4(5): 143-147.
- 73.** **Dharmaraj J., Gunasekaran C. and Rajkumar V.** (2018). Diversity and plethora

- of spider fauna at different habitats of the Nilgiris, Tamil Nadu, south India. *International Journal of Recent Scientific Research.* 9 (3A): 24634-24637.
74. Dobroruka L.J. (2004). One new species and one new record of jumping spiders (Araneae: Salticidae) from India. *Acta Arachnologica Sinica* 13: 14-17.
75. Ekka A. and Kujur R. (2015). Spider diversity of Ram Jharna, Raigarh district, Chhattisgarh, India. *Research Journal of Pharmacy and Technology.* 8(7): 813-819.
76. Elias D.O., Mason A.C., Maddison W.P. and Hoy R.R. (2003). Seismic signals in a courting male jumping spider (Araneae: Salticidae). *The Journal of Experimental Biology.* 206: 4029-4039.
77. Foelix R.F. (2010). Biology of Spiders, 3rd Edition. Oxford University Press, pp. 432.
78. Forster L. (1982). Vision and prey-catching strategies in jumping spiders. *American Scientist.* 70: 165-175
79. Gajbe P. (2003). A checklist of spiders (Arachnida: Araneae) of Jabalpur, Madhya Pradesh, India. *Records of Zoological Survey of India.* 101 (Part 3-4): 43-47.
80. Gajbe P.U. (2004). Spiders of Jabalpur, Madhya Pradesh (Arachnida: Araneae). *Records of the Zoological Survey of India, Occasional Paper No.* 227: 1-154.
81. Gajbe U.A. and Singh R.K. (1994). On some spiders (Araneae: Arachnida) from Kanha National Park (Madhya Pradesh), India. *Records of the Zoological Survey of India.* 94 (2-4): 253-263.
82. Goswami T.N., Kumari K., Anil and Kole B. (2015). Quantitative estimation of spider fauna in rice ecosystem of Zone IIIA in Bihar. *Environment and Ecology.* 33(2): 783-785.
83. Gupta N. and Siliwal M. (2012). A checklist of spiders (Arachnida: Araneae) of Wildlife Institute of India, campus Dehradun, Uttarakhand India. *Indian Journal of Arachnology.* 1(2): 73-91.
84. Gupta R., Devi O.S. and Islam M. (2015). Common spiders from select protected areas of upper Assam. Assam State Biodiversity Board Rehbari Guwahati, pp. 186.
85. Halarnkar M.M. and Pai I.K. (2018). Distribution, diversity and ecology of spider species at two different habitats. *International Journal of Environmental Sciences and Natural Resources.* 8(5): 162-167.
86. Harland, D.P. and Jackson, R.R. (2000). 'Eight-legged cats' and how they see – a review of recent research on jumping spiders (Araneae: Salticidae). *Cimbebasia.* 16: 231-240.
87. Hill D.E., Abhijith A.P.C., Krishna P. and Ramesh S. (2019a). Construction and use of orb webs by jumping spiders (Araneae: Salticidae: Plexippina: *Vailimia* sp. indet.) in southwest India. *Peckhamia.* 182.3: 1-22.
88. Hill D.E., Abhijith A.P.C., Krishna P. and Ramesh S. (2019b). Construction of orb webs as nocturnal retreats by jumping spiders (Araneae: Salticidae: cf. *Anarrhotus*) in southwestern India. *Peckhamia* 182.2: 1-13.
89. Hore U. (2009). Diversity and structure of spider assemblages in Terai Conservation area. Ph.D. thesis, Saurashtra University, Rajkot, Gujarat. <http://etheses.saurashtra-university.edu/id/eprint/589>.
90. Hore U. and Uniyal V.P. (2008a). Effect of prescribed fire on spider assemblage in Terai grasslands India. *Turkish Journal of Arachnology.* 1(1): 15-36.
91. Jackson R.R., Pollard S.D., Nelson X.J., Edwards G.B., Barrion A.T. (2001). Jumping spiders (Araneae: Salticidae) that feed on nectar. *Journal of Zoology, London.* 255: 25-29.
92. Jastrzebski P. (1997a). Salticidae from the Himalayas. Genus *Rhene* Thorell, 1869 (Araneae: Salticidae). *Entomologica Basiliensis.* 20: 45-56.
93. Jastrzebski, P. (1997b). Salticidae from the Himalayas. Genus *Menemerus* Simon, 1868 (Araneae: Salticidae). *Entomologica Basiliensis.* 20: 33-44.
94. Jastrzebski P. (2007). Salticidae from the Himalayas. The genus *Bianor* Peckham and Peckham 1885 (Arachnida: Araneae). *Acta Arachnologica, Tokyo.* 56(1): 25-28.

- 95.** John S.J. (2020). Hunting and brooding behaviour in *Phaeacius* sp. indet. (Araneae: Salticidae: Spartaeini), a new record for the Andaman Islands. *Peckhamia*. 213.1: 1-6.
- 96.** Jose A.C., Sudhin P.P., Prasad P.M. and Sreejith K.A. (2018). Spider diversity in Kavvayi river basin Kerala, Southern India. *Current World Environment*. 13(1): 100-112.
- 97.** Joseph A.R. and Premila K.S. (2016). A study on the richness of spider fauna in rice Ecosystem. *Journal of Entomology and Zoology Studies*. 4(2): 425-430.
- 98.** Joseph M.M., Paul J., Sankaran P.M. and Sebastian P.A. (2017). Preliminary results on the spider fauna (Arachnida: Araneae) of the high altitude shola ecosystem in the Western Ghats. *Proceedings of the National Conference on Ecology, Sustainable Development and Wildlife Conservation*. pp. 41-49.
- 99.** Kananbala A., Bhubaneshwari M. and Siliwal M. (2018). A checklist of spiders (Arachnidae: Araneae) of Manipur, India with some first records and a new species *Conothele khunthokhanbi* (Family: Ctenizidae). *Journal of Entomology and Zoology Studies*. 6(5): 2209-2214
- 100.** Kanesharatnam N. and Benjamin S.P. (2016). Three new generic records and descriptions of four new species of jumping spiders (Araneae, Salticidae) from Sri Lanka. *European Journal of Taxonomy*. 228: 1-23.
- 101.** Kashmeera N.A., Drisya-Mohan O.M. and Sudhikumar A.V. (2020). Spiders of rocky desert in Kailana, Rajasthan, India. *Serket*. 17(3): 201-206.
- 102.** Kapoor V. (2008). Effects of rainforest fragmentation and shade-coffee plantations on spider communities in the Western Ghats, India. *Journal of Insect Conservation*. 12: 53-68.
- 103.** Karthikeyani R., Caleb J.T.D., Gajbe U.A. and Muthuchelian K. (2017). Checklist of spiders (Arachnida: Araneae) of the State of Tamil Nadu India. *Munis Entomology and Zoology*. 12(1): 180-193.
- 104.** Keswani S. (2014). Diversity, population and microhabitat used by spiders in citrus agroecosystem. *Indian Journal of Arachnology*. 3(2): 90-101.
- 105.** Keyserling E. (1890). Die Arachniden Australiens, nach der Natur beschrieben und abgebildet. Zweiter Theil [Lieferung 37]. *Bauer and Raspe, Nürnberg*, pp. 233-274,
- 106.** Khan A.A. (2006). Relative abundance of spider fauna of rice ecosystem. *SAARC Journal of Agriculture*. 4: 159-166.
- 107.** Khan A.A. (2009). Biodiversity of spider fauna (Arachnida: Araneae) in horticultural ecosystem of Kashmir. *Indian Journal of Ecology*. 36(1): 59-64.
- 108.** Khan A.A. (2011). Spider fauna (Arachnida: Araneae) in temperate fruit orchards of Kashmir. *Journal of Biological Control*. 25(2): 103-113.
- 109.** Khan A.A. (2013). Spider fauna (Arachnida: Araneae) in horticultural ecosystem of Kashmir. In: *Animal Diversity, Natural History and Conservation* Vol. 1 (Eds. Gupta V.K. and Verma A.K.), Daya Publishing House, Delhi, pp. 313-338.
- 110.** Khandelwal P. (2014). Diversity of spider fauna from Sarangpuri lake, Arvi, Vidarbha region. *International Journal of Life Sciences*. 2(2): 165-167.
- 111.** Kumar A., Kanaujia A., Kumar A., Kumar V. and Mishra H. (2017). Diversity of spiders in Kukrail Reserve Forest, Lucknow, Uttar Pradesh, India. *Journal of Environmental Science and Technology*. 4(5): 101-104.
- 112.** Kumari K. (1983). Taxonomy of spiders (Arachnida: Araneae) from northern India. M. Phil. Thesis, Department of Zoology, Punjabi University, Patiala.
- 113.** Lanka L.P., Kamble S.S. and Bodkhe A.K. (2017). An Addition to spider fauna from the vicinity of Radhanagari Wildlife Sanctuary of Kolhapur District. *International Journal of Scientific Engineering and Research*. 5(7): 280-283.
- 114.** Lawania K.K. and Mathur P. (2014a). Baseline studies on the spider fauna (Araneae) of Braj region (Braj-Bhoomi), India. *International Journal of Basic and Applied Biology*. 2(1): 137-141.

- 115. Lawania K.K. and Mathur P.** (2014b). Diversity and distribution of spider fauna in and around the Taj Mahal and Taj Protected Forest, Agra (U.P.), India. *International Journal of Basic and Applied Biology*. 2(2): 111-114.
- 116. Lawania K.K. and Mathur P.** (2017). Biodiversity and habit preference of spider fauna in eastern region of Rajasthan and its catchment area. *International Journal of Scientific Development and research*. 2(6): 475-484.
- 117. Lawania K.K. and Trigunayat M.M.** (2015). A comparative study of the spider (araneae) fauna in Keoladeo National Park (KNP), Nahargarh Wildlife Sanctuary (NWS) and Sur-sarovar Bird Sanctuary (SBS), India. *International Journal on Agricultural Sciences*. 6(1): 141-146.
- 118. Leardi in Airaghi, Z.** (1901). Aracnidi di Mahé e Kandy. *Atti della Societa Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano*. 40: 345-373.
- 119. Logunov D.V.** (1999). Redefinition of the genus *Habrocestoides* Prószyński, 1992, with establishment of a new genus, *Chinattus* gen. n. (Araneae: Salticidae). *Bulletin of the British Arachnological Society*. 11: 139-149.
- 120. Logunov D.V.** (2000). A redefinition of the genera *Bianor* Peckham and Peckham, 1885 and *Harmochirus* Simon, 1885, with the establishment of a new genus *Sibianor* gen. n. (Aranei: Salticidae). *Arthropoda Selecta*. 9: 221-286.
- 121. Logunov D.V.** (2010). A new species of *Yllenus* Simon, 1868 from northern India (Araneae, Salticidae). *Bulletin of the British Arachnological Society*. 15: 91-92.
- 122. Logunov D.V.** (2017). New species and records in the genus *Synagelides* Strand in Bösenberg et Strand, 1906 (Aranei: Salticidae) from the Oriental region. *Arthropoda Selecta*. 26(4): 315-322.
- 123. Logunov D.V.** (2019). Taxonomic notes on the *Harmochirina* Simon, 1903 from South and South-East Asia (Aranei: Salticidae). *Arthropoda Selecta*. 28(1): 99-112.
- 124. Logunov, D.V.** (2020). Further notes on the genus *Stenaelurillus* Simon, 1885 from India (Araneae: Salticidae). *Zootaxa*. 4899(1): 201-214.
- 125. Logunov D.V. and Koponen S.** (2002). Redescription and distribution of *Phlegra hentzi* (Marx, 1890) comb. n. (Araneae, Salticidae). *Bulletin of the British Arachnological Society*. 12: 264-267.
- 126. Logunov D.V. and Azarkina G.N.** (2018). Redefinition and partial revision of the genus *Stenaelurillus* Simon, 1886 (Arachnida, Araneae, Salticidae). *European Journal of Taxonomy*. 430: 1-126.
- 127. Logunov D.V. and Hereward J.** (2006). New species and synonymies in the genus *Synagelides* Strand in Bösenberg and Strand, 1906 (Araneae: Salticidae). *Bulletin of the British Arachnological Society*. 13: 281-292.
- 128. Logunov D.V. and Marusik Y.M.** (2003). A revision of the genus *Yllenus* Simon, 1868 (Arachnida, Araneae, Salticidae). KMK Scientific Press, Moscow, pp. 168.
- 129. Logunov D.V. and Marusik Y.M.** (2014). Taxonomic notes on the genus *Eupoia* Źabka, 1985 (Arachnida, Araneae, Salticidae). *ZooKeys*. 410: 63-93
- 130. Maddison W.P.** (2015). A phylogenetic classification of jumping spiders (Araneae: Salticidae). *Journal of Arachnology*. 43: 231-292.
- 131. Maddison W.P., Li D., Bodner M., Zhang J., Xu X., Liu Q. and Liu F.** (2014). The deep phylogeny of jumping spiders (Araneae, Salticidae). *ZooKeys*. 440: 57-87.
- 132. Maddison W.P., Evans S.C., Hamilton C.A., Bond J.E., Lemmon A.R. and Lemmon E.M.** (2017). A genome-wide phylogeny of jumping spiders (Araneae, Salticidae). *ZooKeys*. 695: 89-101.
- 133. Maddison W.P., Beattie I., Marathe K., Ng P.Y.C., Kanesharatnam N., Benjamin S.P. and Kunte K.** (2020). A phylogenetic and taxonomic review of baviine jumping spiders (Araneae, Salticidae, Baviini). *ZooKeys*. 1004: 27-97

- 134. Maheshwari N.R. and Chopda M.Z.** (2017). Record of *Stenaelurillus jagannathae* from Jalgaon, Maharashtra, India. *Global Journal for Research Analysis*. 6(6): 324-325.
- 135. Majumder S.C.** (2005). Studies on some spiders from eastern coastal region of India. *Memoirs of the Zoological Survey of India*. 20(3): 1-57.
- 136. Malamel J. J.** (2018). Species increments to the Indian Araneofauna (Arachnida, Araneae) from Pathiramanal Island. *Revista Ibérica de Aracnología*. 32: 112-116.
- 137. Malamel J.J. and Samson P.D.** (2014). A pioneering study on the spider (Arachnida: Araneae) fauna of Kumarakom Bird Sanctuary. *International Journal of Science, Environment and Technology*. 3(3): 872-880.
- 138. Malamel J.J., Prajapati D.A., Sudhikumar A.V. and Sebastian P.A.** (2019a). Two new species of the tribe Ballini Banks, 1892 from India (Araneae: Salticidae). *Arthropoda Selecta*. 28(3): 424-434.
- 139. Malamel J.J., Nafin K.S., Sudhikumar A.V. and Sebastian P.A.** (2019b). Two new species of the jumping spiders (Araneae: Salticidae) from the genera *Epeus* Peckham et Peckham, 1886 and *Piranthus* Thorell, 1895 from India. *Arthropoda Selecta*. 28(2): 267-276.
- 140. Malik V. and Goyal V.** (2017). Biodiversity of spiders in different habitats of Western Haryana, India. *Journal of Entomology and Zoology Studies*. 5(4): 822-825.
- 141. Malik S., Das S.K. and Siliwal M.** (2015). Spider (Arachnida: Araneae) fauna of Delhi with first report of cobweb spider *Argyrodes bonadea* (Karsch, 1881) from India. *Indian Journal of Arachnology*. 4(2): 31-36.
- 142. Mathew E.V., Sudhikumar A. and Sebastian P.A.** (2014). Vertical stratification of spiders in Kuttanad rice agroecosystem, Kerala. *Journal of Biological Control*. 28(2): 62-67.
- 143. Meshram A.** (2011). Spiders (Arachnida: Araneae) from Toranmal Sanctuary, Maharashtra, India. *E-International Scientific Research Journal*. (4): 326-334.
- 144. Mishra A.K. and Shrivastava S.K.** (2002). Spiders associated with rice crop in Raipur. *Agricultural Science Digest*. 22 (4): 261-263.
- 145. Monga K., Singh J.P. and Sadana G.L.** (1988). A new species of *Marpissa* Koch (Araneae: Salticidae) from India. *Journal of the Bombay Natural History Society*. 85: 592-593.
- 146. More S. and Sawant V.** (2013). Spider fauna of Radhanagari Wildlife Sanctuary, Chandoli National Parkandkoyna Wildlife Sanctuary. *Indian Journal of Arachnology*. 2(1): 81-92.
- 147. Mubeen M. and Basavarajappa S.** (2018). Density, abundance and per cent occurrence of spider species (Arachnida: Araneae) in and around Mysore city, Karnataka, India – a case study. *IOSR Journal of Pharmacy and Biological Sciences*. 13(3): 31-40.
- 148. Mukerjee D.** (1930): Description of a new ant-mimicking spider, *Synemosyna transversa* sp. nov. *Journal of the Bombay Natural History Society*. 34: 200 - 201.
- 149. Murali S., Jalali S.K., Shylesha A.N., Shivalinga Swamy T.M. and Gandhi Gracy R.** (2017). Predatory spider fauna in Brinjal crop their abundance and composition. *Journal of Entomology and Zoology Studies*. 5(5): 675-681.
- 150. Murphy J. and Murphy F.** (1983). More about *Portia* (Araneae: Salticidae). *Bulletin of the British Arachnological Society*. 6: 37-45.
- 151. Nafin K.S., Maddison W.P. and Sudhikumar A.V.** (2020). The first described male of the Asian jumping spider genus *Piranthus* Thorell, 1895 (Araneae: Salticidae: Baviini). *Peckhamia*. 207.1: 1-7
- 152. Narayan K.** (1915). Notes on ant-like spiders of the family Attidae in the collection of the Indian Museum. *Records of the Indian Museum, Calcutta*. 11: 393-406.
- 153. Nataraj P., Karthikeyani, Senthilkumar P., Gunasekaran C. and Dharmaraj J.** (2018). A study on diversity of spider fauna in Maruthamalai Foot Hills, Western Ghats, South India. In. Mainstreaming Biodiversity for Sustainable Development, 2017 (Eds. Cheruvat D., Nilayangode P., Oommen O.V.), Kerala State Biodiversity Board, Thiruvananthapuram, pp. 127-135.

- 154.** Nautiyal S., Khan Y.D.I., Kaechele H. and Bhaskar K. (2017). Diversity and distribution of spiders in Gogi, Yadgir District: a semi-arid landscape in southern India. *International Journal of Ecology and Environmental Sciences*. 43(3): 195-204.
- 155.** Nerlekar A.N., Warudkar A.M., Gowande G.G., Salve S.S., Raut A., Patankar S.R. and Nalavade S.B. (2016). A review of the faunal diversity of the Fergusson College campus, Pune, India. *Zoo's Print*. 31(10): 4-25.
- 156.** Nijagal B.S., Padma, S., Michael, A. and D'souza, L. (2020). Species composition, density, abundance and percent occurrence of spiders at three different sites of Mysore City, Karnataka. *IOSR Journal of Pharmacy and Biological Sciences*. 15(3): 23-29.
- 157.** Nyffeler M. (2016). Phytophagy in jumping spiders: The vegetarian side of a group of insectivorous predators. *Peckhamia*. 137.1: 1-17.
- 158.** Nyffeler M. and Pusey B.J. (2014). Fish predation by semi-aquatic spiders: a global pattern. *PloS One*. 9(6): e99459.
- 159.** Oppenheimer J.R. and Tikader B.K. (1976). The ground activity of spiders (Araneae) and harvestmen (Phalangidae) in West Bengal, India. *Journal of the Bombay Natural History Society*. 73: 121-141.
- 160.** Oxford G.S. and Gillespie R.G. (1998). Evolution and ecology of spider coloration. *Annual Review of Entomology*. 43: 619-643.
- 161.** Panda S.S., Mishra D., Priyadarshini and Parida P. (2011). Spiders of Nandankanan. Forest Department Government of Odisha, pp. 64.
- 162.** Pandit R. and Dharwadkar M. (2020). Preliminary checklist of spider fauna (Araneae: Arachnida) of Chandranath Hill, Goa, India. *Journal of Threatened Taxa*. 12(11): 16597-16606.
- 163.** Parasharya B.M. and Pathan V.A. (2013). Diversity of spider fauna in Lucerne (*Medicago sativa* L.). *Journal of Biological Control*. 27(4): 253-259.
- 164.** Parmar B.M. (2013). The spider diversity from different habitats around Biosciences, Vallabh Vidyanagar. *International Journal of Science and Research*. 4(10): 1985-1988.
- 165.** Parmar B.M. (2018). Preliminary study of spiders (Order: Araneae) from Satlasana taluka. *International Journal of Pharmacy and Biological Sciences*, 8(3): 735-740.
- 166.** Parmar B.M. and Acharya A.V.R.L.N. (2015). The spider fauna of Pariej wetland, Gujarat, India. *International Journal of Science and Research*. 4(10): 1028-1033.
- 167.** Parmar B.M. and Patel K.B. (2015). Preliminary Study of Spiders (Order: Araneae) from Taranga Hills. *International Journal of Science and Research*. 6(11): 23-25.
- 168.** Parmar B.M., Patel K.B., Joshi J.D. and Chaudhari N.R. (2015). Faunistic study of spiders diversity from islands and costal areas of gulf of Kutch, India. *Life Sciences Leaflets*. 67: 12-23.
- 169.** Patel B.H. (2003). Spiders of Vansada National Park, Gujarat. *Zoos' Print Journal*. 18(4): 1079-1083.
- 170.** Patel B.H., Pillai G.K. and Sebastian P.A. (1988): Studies on the predatory spiders of Tur (*Cajanus cajan* L.) fields of Gujarat. *Bicosas*. 1: 130-142.
- 171.** Patil S.R., Roy S. and Bano R. (2016). A note on soil spiders (Arachnida: Araneae) from Jaisalmer district, Rajasthan. *International Journal of Fauna and Biological Studies*. 3(2): 22-23.
- 172.** Paul J., Prajapati D.A., Joseph M.M. and Sebastian P.A. (2020). Description of a new species of *Colaxes* Simon, 1900 (Araneae: Salticidae: Ballinae) from the tropical montane cloud forests of Western Ghats, India. *Arthropoda Selecta*. 29(2): 244-250.
- 173.** Peckham G.W. and Peckham E.G. (1895). Spiders of the Homalattus group of the family Attidae. *Occasional Papers of the Natural History Society of Wisconsin*. 2: 159-183.
- 174.** Petrunkevitch A. (1928): Systema aranearium. *Transactions of the Connecticut Academy of Arts and Sciences*. 29: 1-270.
- 175.** Pocock R.I. (1904). Arachnida. In: Fauna and geography of the Maldives and Laccadive Archipelagoes, London. 2: 797-805.

- 176.** Pooja A., Anilkumar, Quasin S., Lekshmi S. and Uniyal V.P. (2019). Spider fauna of Navdanya Biodiversity Farm, Uttarakhand, India. *Indian Forester*. 145(4): 392-397.
- 177.** Prajapati D.A. (2019). A new species of the jumping spider genus *Phlegra* Simon, 1876 from India (Aranei: Salticidae: Aelurillina). *Arthropoda Selecta*. 28(4): 575-578.
- 178.** Prajapati D.A. and Kamboj R.D. (2020a). Additional morphological notes on the male of *Icius alboterminus* (Caleb, 2014) (Aranei: Salticidae) with new distribution records from India. *Journal of Threatened Taxa*. 12(4): 15475-15480.
- 179.** Prajapati D.A. and Kamboj R.D. (2020b). First description of the female of *Phintelloides undulatus* (Caleb and Karthikeyani, 2015) (Araneae: Salticidae: Chrysillini). *Arachnology*. 18(6): 602-606.
- 180.** Prajapati D.A., Murthappa P.S., Sankaran P.M. and Sebastian P.A. (2016). Two new species of *Stenaelurillus* Simon, 1886 from India (Araneae: Salticidae: Aelurillina). *Zootaxa*. 4171(2): 321-334.
- 181.** Prajapati D.A., Malamel J.J., Sudhikumar A.V. and Sebastian P.A. (2018a). A new species of the jumping spider genus *Icius* Simon, 1876 from India (Aranei: Salticidae: Chrysillini). *Arthropoda Selecta*. 27(4): 330-334.
- 182.** Prajapati J.N., Patel S.R. and Surani P.M. (2018b). Pictorial checklist of agrobiont spiders of Navsari Agricultural University, Navsari, Gujarat, India. *International Journal of Current Microbiology and Applied Sciences* 7(7): 409-420.
- 183.** Prajapati D.A., Malamel J.J. and Sebastian P.A. (2020). First record of *Urobillus* Simon, 1902 from India, with description of a new species (Araneae: Salticidae: Simaethina). *Arachnology*. 18(6): 629-631.
- 184.** Prashanthakumara S. M. and Venkateshwarlu M. (2017). Preliminary study of spiders (Araneae: Arachnida) in Gudavi Bird Sanctuary, Shivamogga, Karnataka. *International Journal of Recent Scientific Research*. 8(8): 19277-19281.
- 185.** Prashanthakumara S.M., Nijagal B.S. and Venkateshwarlu M. (2015). Study on diversity of spider fauna in Jnana Sahyadri Campus, Shimoga, Karnataka. *Bulletin of Pure and Applied Sciences*. 34A (Zoology) (1-2): 1-9.
- 186.** Priyadarshini N., Kumari R., Pathak R.N. and Pandey A.K. (2015). Biodiversity and Community structure of spiders in Saran, part of Indo-Gangetic Plain, India. *Asian Journal of Conservation Biology*. 4(2): 121-129.
- 187.** Prószyński J. (1992a). Salticidae (Araneae) of the Old World and Pacific Islands in several US collections. *Annales Zoologici*, Warszawa. 44: 87-163.
- 188.** Prószyński J. (1992b). Salticidae (Araneae) of India in the collection of the Hungarian National Natural History Museum in Budapest. *Annales Zoologici*, Warszawa 44: 165-277.
- 189.** Prószyński J. (2017). Pragmatic classification of the World's Salticidae (Araneae). *Ecologica Montenegrina*. 12: 1-133.
- 190.** Punjoo S. and Bhat G.A. (2015). First report of spiders (Arachnida: Araneae) from Dachigam National Park, Kashmir, India. *International Journal of Research*. 2(2): 707-719.
- 191.** Quasin S. and Uniyal V.P. (2010). Preliminary investigation of spider diversity in Kedarnath Wildlife sanctuary, Uttarakhand, India. *Indian Forester*. 136(10): 1340-1345.
- 192.** Rajeevan S., Kunnam S.M., Varghese T. and Kandambeth P.P. (2019). Spider diversity (Arachnida: Araneae) in different ecosystems of the Western Ghats, Wayanad region, India. *South Asian Journal of Life Science*. 7(2): 29-39.
- 193.** Rao K.T., Bastawade D.B., Javed S.M.M. and Krishna I.S.R. (2005). Arachnid fauna of Nallamalai Region Eastern Ghats, Andhra Pradesh, India. *Zoological Survey of India, Occasioal Paper No. 239*: 1-42.
- 194.** Reimoser E. (1934). Araneae aus Süd-Indien. *Revue Suisse de Zoologie*. 41: 465-511.

- 195. Richman D.B., Jackson R.R.** (1992). A review of the ethology of jumping spiders (Araneae, Salticidae). *Bulletin of British Arachnological Society..* 9 (2): 33–37.
- 196. Rithe K.** (2012). Spider diversity from relocated area of Melghat Tiger Reserve. *Indian Journal of Arachnology.* 1(2): 92-105.
- 197. Roy T.K., Saha S. and Raychaudhuri D.** (2016). A treatise on the jumping spiders (Araneae: Salticidae) of tea ecosystem of Dooars, West Bengal, India. *World Scientific News.* 53(1): 1-66.
- 198. Roy T.K., Saha S. and Raychaudhuri D. (2017).** Spider Fauna of Meghalaya, India. In: *Biodiversity: Exploration, Exploitation, Conservation and Management - Vision and Mission. Proceedings of the UGC Sponsored National Seminar, Kolkata, India, 19-20th November, 2016* (Eds. Saha S., Manna M., Ghosh J., Podder S., Haque E., Guria S. and Dey S.). *World Scientific News.* 71: 104-127.
- 199. Sadana G.L.** (1991). A new species of the spider of the genus *Zygoballus* Peckhams, 1885 (Salticidae) from India. *Entomon.* 16: 73-75.
- 200. Sadana G.L. and Gupta A.** (1998). A new salticid spider from India. *Journal of Bombay Natural History Society.* 95: 469 - 472.
- 201. Saha S., Roy T.K. and Raychaudhuri D.** (2016). Survey on spider faunal diversity of darjeeling tea plantations. *Munis Entomology and Zoology.* 11(2): 622-635.
- 202. Sailu G., Narayana B.L., Ramaiyan D., Naresh B., Rao V.V., Adepu H., Khandelwal R., Devulapalli P. and Krishna P.** (2017). Faunal diversity of Ameenpur Lake, Telangana state, India: A biodiversity heritage site. *Journal of Entomology and Zoology Studies.* 5(1): 512-526.
- 203. Samson D. and Sebastian P.A.** (2002). *Bavia kairali*, a new salticid spider from India. 20th European Colloquium of Arachnology, Szombathely, Hungary (Abstracts), pp. 79.
- 204. Samson P.D. and Sebastian P.A.** (2013). Redescription of a lesser known jumping spider *Tamigalesus munnaricus* Zabka (Araneae: Salticidae) collected from Kerala, India. *International Journal of Science, Environment and Technology.* 2(5): 1036-1038.
- 205. Sanap R.V., Joglekar A., Prajapati D.A. and Caleb J.T.D.** (2017). Two new species of *Langelurillus* Próchniewicz, 1994 from India (Araneae: Salticidae: Aelurillina). *Zootaxa.* 4318(1): 135-146.
- 206. Sanap R.V., Caleb J.T.D. and Joglekar A.** (2019). A new species of the hisponine jumping spiders from India (Araneae: Salticidae), with some observations on its life history. *Arthropoda Selecta.* 28(1): 113-124.
- 207. Sankaran P.M., Malamel J.J., Joseph M.M. and Sebastian P.A.** (2019). New species of *Habrocestum* Simon, 1876 and a redescription of *Curubis tetrica* Simon, 1902 (Araneae: Salticidae: Salticinae: Hasariini) from India. *Journal of Natural History.* 53(1-2): 1-15.
- 208. Sathiamma B., Jayopal S.P. and Pillai G.B.** (1986). Observations on spiders predacious on the coconut leaf eating caterpillar *Opisina arenosella* Wlk. (= *Nephantis serinopa* Meyrick) in Kerala: Biology of *Rhene indica* Tikader (Salticidae) and *Cheiracanthium* sp. (Clubionidae). *Entomon.* 12 (2): 121-126.
- 209. Sebastian P.A., Murugesan S., Mathew M.J., Sudhikumar A.V., Sunish E.** (2005a). Spiders in Mangalavanam, an ecosensitive mangrove forest in Cochin, Kerala, India (Araneae). *European Arachnology-Acta Zoologica Bulgarica, Suppl. No. 1:* 315-318.
- 210. Sebastian P.A., Mathew M.J., Beevi S.P., Joseph J. and Biju C.R.** (2005b). The spider fauna of the irrigated rice ecosystem in central Kerala, India across different elevational ranges. *The Journal of Arachnology.* 33 (2): 247-255.
- 211. Sen S., Saha S. and Raychaudhuri D.** (2009). Spiders of Ranthambore National Park, Rajasthan. *Insect Environment.* 16(4): 172–173.
- 212. Sen S., Dhali D.C., Saha S. and Raychaudhuri D.** (2015). Spiders (Araneae: Arachnida) of reserve forests of Dooars: Gorumara National Park, Chapramari Wildlife Sanctuary and Mahananda Wildlife Sanctuary. *World Scientific News.* 20: 1-339.

- 213. Sharma A. and Singh R.** (2018). Biodiversity and guild structure of spiders in northeastern Uttar Pradesh. *Bioinformatics, Pharmaceuticals and Chemical Sciences*. 4(4): 525-541.
- 214. Sharma P. and Sharma V.K.** (2015). Diversity of spiders around Sirpur Lake, Indore (M. P.), India. *International Journal of Zoology and Research*. 5(2): 1-8.
- 215. Sharma, A., Singh, G. and Singh, R.** (2020). Faunal diversity of Liocranidae, Mimetidae, Miturgidae, Nesticidae and Oecobiidae (Arachnida: Araneae) of India. *Serket, The Arachnological Bulletin of the Middle East and North Africa*. 17(3): 270-283.
- 216. Sherriffs W.R.** (1929). A contribution to the study of South Indian Arachnology IV. *Annals and Magazine of Natural History*. 10 (2): 233-249.
- 217. Sherriffs W.R.** (1931). South Indian Arachnology. Part V. *Annals and Magazine of Natural History*. 10: 537-546.
- 218. Shraddha K.K. and Chaturved S.R.** (2019). A study on diversity of spiders at Malavagoppa village, in Shimoga District, Karnataka. *International Journal of Environment Agriculture and Biotechnology*. 4(2): 544-555.
- 219. Siddhu J., Lohani H.P., Pathak G. and Kaushal B.R.** (2020). Spider diversity in rice and mix vegetable agro bhabar region of Nainital district, Uttarakhand. *Bulletin of Environment Pharmacology and Life Sciences*. 9(2): 101-105.
- 220. Siliwal M., Suresh B., Dhuru S. and Pilo B.** (2003a). Spider diversity of riparian zone of river Vishwamitri, Gujarat. *Journal of Current Science*. 3(2): 429-434.
- 221. Siliwal M., Suresh B. and Pilo B.** (2003b). Fauna of protected areas-3. Spiders of Purna Wildlife Sanctury, Dangs, Gujarat. *Zoos Print Journal*. 18(11): 1259-1263.
- 222. Siliwal M., Molur S. and Daniel B.A.** (2008). Status and conservation of tarantulas in selected hot specks of southern India. Report submitted to Fauna and Flora International, UK, pp. 57.
- 223. Simon E.** (1885). Matériaux pour servir à la faune arachnologiques de l'Asie méridionale. I. Arachnides recueillis à Wagra-Karoor près Gundacul district de Bellary par M.M. Chaper. II. Arachnides recueillis à Ramnad district de Madura par M. l'abbé Fabre. *Bulletin de la Société Zoologique de France*. 10: 1-39.
- 224. Simon E.** (1888). Etudes sur le arachnides de l'Asie méridionale faisant partie des collections de l'Indian Museum (Calcutta). II. Arachnides recueillis aux îles Andaman par M.R.D. Oldham. *Journal of the Asiatic Society of Bengal. Part II (Natural science)*. 56: 282-287.
- 225. Simon E.** (1889). Arachnides de l'Himalaya, recueillis par MM. Oldham et Wood-Mason, et faisant partie des collections de l'Indian Museum. Première partie. *Journal of the Asiatic Society of Bengal*. 58: 334-344.
- 226. Simon E.** (1902). Description d'arachnides nouveaux de la famille des Salticidae (Attidae) (suite). *Annales de la Société Entomologique de Belgique*. 46: 24-56, 363-406.
- 227. Simon E.** (1903). Etudes arachnologiques. 33e Mémoire. LIII. Arachnides recueillis à Phuc-Son (Annam) par M. H. Fruhstorfer (nov-dec. 1899). *Annales de la Société Entomologique de France*. 71: 725-736.
- 228. Simon E.** (1906). Arachnides (2e partie). In: Voyage de M. Maurice Maindron dans l'Inde méridionale. 8e Mémoire. *Annales de la Société Entomologique de France*. 75: 279-314.
- 229. Singh R. and Singh G.** (2020). Diversity of mygalomorph spiders (Araneae: Opisthothelae) in India. *International Journal of Biological Innovations*. 2(2): 178-201.
- 230. Singh R., Singh G. and Singh B.B.** (2020a). Diversity of Asemoneinae, Eupoinae, Hisponinae, Lysomaninae, Onomastinae and Spartaeinae (Arachnida: Araneae: Salticidae) in India: a checklist and bibliography. *Research Journal of Life Sciences, Bioinformatics, Pharmaceuticals and Chemical Science*. 6(5): 29-46.

- 231. Singh R., Singh G. and Singh B.B.** (2020b). Diversity of Amycoida and Astioidea (Arachnida: Araneae: Salticidae: Salticinae) in India. *Journal of Entomology and Zoology Studies.* 8(5): 1478-1488.
- 232. Singh R., Singh G. and Singh B.B.** (2020c). Diversity of Marpissoida, Chrysillini and Hasariini (Arachnida: Araneae: Salticinae: Salticidae) in India. *Research Journal of Life Sciences, Bioinformatics, Pharmaceutical, and Chemical Sciences.* 6(6): 15-42.
- 233. Singh R., Singh G. and Singh B.B.** (2020d). Diversity of simonid spiders (Araneae: Salticidae: Salticinae) in India. *International Journal of Biological Innovations.* 2(2): 247-276.
- 234. Singh R., Singh G. and Sharma A.** (2020e). Faunal diversity of Hahniidae, Hersiliidae and Homalonychidae (Arachnida: Araneae: Araneomorphae) in India. *Serket, The Arachnological Bulletin of the Middle East and North Africa.* 17(3): 240-251.
- 235. Singh R., Singh G. and Sharma A.** (2020f). Diversity of yellow sac spiders (Cheiracanthiidae: Araneae: Arachnida) in India. *Journal of Entomology and Zoology Studies.* 8(6): 118-126.
- 236. Singh S., Borkotoki A. and Sarmah C.K.** (2012). Species distribution of spiders in Barpeta district of Assam: a diversity measure. *International Scientific Research Journal.* 4(1): 47-57.
- 237. Sivaperuman C. and Rathore N.S.** (2004). A preliminary report on spiders in Desert National Park, Rajasthan, India. *Zoos' Print Journal.* 19(5): 1485-1486.
- 238. Solanki R.** (2016). Ecology and diversity of spider fauna in southern tropical dry deciduous forests of Gujarat. Ph.D. Thesis, The M.S. University of Baroda, Vadodara Gujarat, India, pp. 305.
- 239. Sudhikumar A.V., Mathew M.J., Sunish E., Murugesan S. and Sebastian P.A.** (2005). Preliminary studies on the spider fauna in Mannavan shoal forest, Kerala, India (Araneae). *European Arachnology - Acta Zoologica Bulgarica, Suppl. No. 1:* 319-327.
- 240. Sudhin P.P., Nafin K.S. and Sudhikumar A.V.** (2017). Revision of *Hindumanes* Logunov, 2004 (Araneae: Salticidae: Lyssomaninae), with description of a new species from the Western Ghats of Kerala, India. *Zootaxa.* 4350(2): 317-330.
- 241. Sudhin P.P., Nafin K.S., Sumesh N.V. and Sudhikumar, A.V.** (2019a). A new spider species of the genus *Cocalus* C.L.Koch, 1846 (Araneae: Salticidae: Spartaeinae) from Western Ghats of India. *Arthropoda Selecta.* 28(1): 125-130.
- 242. Sudhin P.P., Nafin K.S., Benjamin S.P. and Sudhikumar A.V.** (2019b). Two new species of the genus *Marengo* Peckham et Peckham, 1892 (Araneae: Salticidae) from Western Ghats of India. *Arthropoda Selecta.* 28(3): 435-444.
- 243. Sudhin P.P., Nafin K.S., Caleb J.T.D. and Sudhikumar A.V.** (2020). Redescription of *Asemoneea cristata* Thorell, 1895 (Araneae: Salticidae: Asemoneinae), with notes on its synonymy and distribution. *Arthropoda Selecta.* 29(2): 251-256.
- 244. Sugumaran M.P., Soundararajan R.P. and Lakshmanan V.** (2007). Spider fauna in the horticultural crops of the Yercaud hills. *Zoos' Print Journal.* 22(6): 2721-2722.
- 245. Sumesh N.V. and Sudhikumar A.V.** (2020). Checklist of spiders from the sacred groves of northern Kerala, India. *Uttar Pradesh Journal of Zoology.* 41(9): 104-115.
- 246. Sundevall C.J.** (1833). Conspectus Arachnidum. *Londini Gothorum*, pp.1-39.
- 247. Sunil Jose K.** (2013). New species of *Yaginumaella* Proszynski from India (Araneae: Salticidae). *Munis Entomology and Zoology.* 8(1): 63-66.
- 248. Tabasum N.R., Nagaraj B, Shantakumari S., Sreenivasa V. and Sai Sandeep Y.** (2018). Assessment of spider diversity and composition along the Tungabhadra Irrigation Channel at Ballari, Karnataka. *International Journal on Biological Sciences.* 9(1): 36-44.
- 249. Talukdar S. and Majumder S.C.** (2008). Diversity of spider fauna of Bortibeele North 24 Parganas, West Bengal, their possible

- utilities as significant biological pestcontrol in the paddy field-ecosystem. *Records of the Zoological Survey of India.* 108(2): 39-45.
- 250. Tandon P.L. and Lal B.** (1983). Predatory spiders associated with insect pests of mango in India. *Bulletin of Entomology.* 24: 144-147.
- 251. Thakur J.N., Singh J.P., Verma O.P. and Diwakar M.C.** (1995). Spider fauna in the rice ecosystem of Jammu. *Journal of Biological Control.* 9(2): 125-126.
- 252. Thorell T.** (1891). Spindlar från Nikobarerna och andra delar af södra Asien. *Kongliga Svenska Vetenskaps-Akademiens Handlingar.* 24(2): 1-149.
- 253. Thorell T.** (1892). On some spiders from the Andaman Islands, collected by E.W. Oates, Esq. *Annals and Magazine of Natural History.* (6)9: 226-237.
- 254. Thumar R.H.** (2019). Biodiversity and taxonomic study of predacious spiders of some orchard plants in and around Navsari District, Gujarat. Ph.D. thesis, Veer Narmad South Gujarat University, Surat, Gujarat, pp. 261.
- 255. Tikader B.K.** (1967). Studies on some Salticidae spider from Sikkim, Himalaya, India. *Proceedings of the Indian Academy of Science.* 66(B): 117-122.
- 256. Tikader B.K.** (1974a). Studies on some jumping spiders of the genus *Phidippus* from India (family: Salticidae). *Proceedings of the Indian Academy of Science.* 79(B): 120-126.
- 257. Tikader B.K.** (1974b). Studies on some jumping spiders of the genus *Marpissa* from India (family: Salticidae). *Proceedings of the Indian Academy of Science.* 79(B): 204-215.
- 258. Tikader B.K.** (1975). Some jumping spiders of the genus *Zygoballus* from India (family: Salticidae). *Proceedings of the Indian Academy of Science.* 81(B): 150-153.
- 259. Tikader B.K.** (1977a). Studies on spider fauna of Andaman and Nicobar islands, Indian Ocean. *Records of the Zoological Survey of India.* 72: 153-212.
- 260. Tikader B.K.** (1977b). Description of two new species of jumping-spider of the genus *Rhene* (family: Salticidae) from India. *Proceedings of the Indian Academy of Science.* 85(B): 274-277.
- 261. Tikader B.K.** (1977c). Description of two new species of jumping-spiders of the genus *Phidippus* (family: Salticidae) from India. *Entomon.* 2: 97-99.
- 262. Tikader B.K. and Biswas B.** (1978). Two new species of spiders of the family Lyssomanidae from India. *Proceedings of the Indian Academy of Science.* 87(B): 257-260.
- 263. Tikader B.K. and Biswas B.** (1981). Spider fauna of Calcutta and vicinity: Part-I. *Records of the Zoological Survey of India, Occasional Paper.* 30: 1-149.
- 264. Trivedi V.** (2009). Diversity of spiders in groundnut crop fields in village area of Saurashtra region. *Journal of the Bombay Natural History Society.* 106(2): 184-189.
- 265. Umarani S., Umamaheshwari S.** (2013). Diversity of spider fauna at different sites in Palani Hills, Dindigul district, Tamilnadu, SouthIndia. *International Journal of Advanced Biological Research.* 3(4): 535-539.
- 266. Uniyal V.P.** (2006). Records of spiders from Indian trans-Himalayan region. *Indian Forester.* 132 (12a): 117-181.
- 267. Uniyal V.P., Sivakumar K. and Quasin S.** (2011). Diversity of spiders in Nanda Devi Biosphere Reserve. Wildlife Institute of India, Dehradun. (DST Project Completion Report), pp. 199.
- 268. Vaibhav P.U., Vidyavati M.H., Tanuja K.D., Milind F.N., Karuna G., Veeranagoudar D.K. and Pulikeshi M.B.** (2017). Spider diversity of Karnatak University Campus, Dharwad. *International Journal of Advanced Scientific Research and Management.* 2(1): 12-26.
- 269. Vidhel B.P., Malik S., Sabata B.C. and Das S.K.** (2015). A new spider species of the genus *Stenaelurillus* Simon, 1886 (Araneae: Salticidae: Aelurillinae) from India.

- International Journal of Science and Research.* 4(7): 2332-2336.
- 270. WSC** (2020). World Spider Catalog. Version 21.5. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, accessed on 31 December, 2020.
- 271. Yadav A.** (2019). Diversity and ecology of spiders in Champaner-Pavagadh Archaeological Park, a world heritage site in Gujarat. Ph.D. thesis, The Maharaja Sayajirao University of Baroda, Vadodara, Maharashtra, India.
- 272. Yadav A., Solanki R., Siliwal M. and Kumar D.** (2017). Spiders of Gujarat: a preliminary checklist. *Journal of Threatened Taxa*. 9(9):10697-10716.
- 273. Źabka M.** (1981). Salticidae from Kashmir and Ladakh (Arachnida, Araneae). *Senckenbergiana Biologica* 61: 407-413.